
RE-2 Residential Estate Zone

The intent of the RE-2 zone is to provide designated areas of the County for large-lot residential uses. The predominant use is residential in a detached house.




Existing development in the RE-2 zone



GERMANTOWNPLAN

Illustrative Depiction of Standards for Detached House* Building Type



Standard Method of Development for Detached House* Building Type

| A. Lot | RE-2 | |
|---|---------|--|
| Lot Area (min) | 2 acres | |
| Lot Width (min) | | |
| At front building line | 150' | |
| At front lot line | 25' | |
| B. Placement | | |
| Principal Building (min) | | |
| Front setback | 50' | |
| Side street setback, abutting lot fronts on the side street and is in a Residential Detached zone | 50' | |
| Side street setback, abutting lot does not front on the side street or is not in a Residen- tial Detached zone | 20' | |
| Side setback | 17' | |
| Sum of side setbacks | 35' | |
| Rear setback | 35′ | |
| All roofed buildings and structures C. Height | 25% | |
| Principal Building (max) | | |
| Overall building height (agricultural buildings are ex- empt) | 50' | |
| Accessory Structures | | |
| For development standards regarding accessory structures, see Accessory Structures (RE-2) Fact Sheet on the next page. | | |

Accessory Structures: RE-2 Zone

An accessory structure is a structure, including a building, that is subordinate to and located on the same lot as a principal building, the use of which is incidental to the use of the principal building or to the use of the land. In the RE-2 zone, the maximum footprint of an accessory building on a lot where the main building is a detached house is 50% of the footprint of the main building or 600 square feet, whichever is greater. Buildings for an agricultural use are exempt from this size restriction.







Standard Method of Development for All Building Types

| Α. | Placement | RE-2 | |
|------------------------------------|---|------|--|
| Detached Accessory Structure (min) | | | |
| Fror | t setback | 80' | |
| | street setback, abutting lot fronts on the side street is in a Residential Detached zone | 50' | |
| side | street setback, abutting lot does not front on the street or is not in a dential Detached zone | 20' | |
| Side | setback | 15' | |
| abut | ^r setback, on a corner lot where ting lot fronts on the side street and is in a Residen- Detached zone | 12' | |
| Rea | setback, if not otherwise addressed | 10' | |

B. Height

Detached Accessory Structure (max)

Overall building height

50'

Accessory Structure Coverage of Rear Yard

The new zoning code removes this standard as overall building coverage controls ground cover and the size of accessory structures is regulated in the use standards. Any accessory structure on a residential lot must still be located behind the rear building line of the principal building.

Other Dimensional Standards

For development standards regarding principal buildings, including density, lot size and coverage, see the RE-2 Zoning Comparison fact sheet on the previous page.