

HISTORIC PRESERVATION COMMISSION

Marc Elrich County Executive Robert K. Sutton Chairman

Date: August 26, 2022

MEMORANDUM

TO:	Mitra Pedoeem
	Department of Permitting Services
FROM:	Dan Bruechert
	Historic Preservation Section
	Maryland-National Capital Park & Planning Commission
SUBJECT:	Historic Area Work Permit #1003194 - Roof Replacement

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was <u>Approved</u> by HPC .

The HPC staff has reviewed and stamped the attached construction drawings.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant:Alicia BartonAddress:3915 Baltimore St., Kensington

This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once work is complete the applicant will contact Dan Bruechert at 301.563.3400 or dan.bruechert@montgomeryplanning.org to schedule a follow-up site visit.





HAWP #: at:

submitted on:

has been reviewed and determined that the proposal fits into the following category/categories:

Repair or replacement of a masonry foundation with new masonry materials that closely match the original in appearance;

Installation of vents or venting pipes in locations not visible from the public right-of-way;

New gutters and downspouts;

Removal of vinyl, aluminum, asbestos, or other artificial siding when the original siding is to be repaired and/or replaced in kind;

Removal of accessory buildings that are not original to the site or non-historic construction;

Repair or replacement of missing or deteriorated architectural details such as trim or other millwork, stairs or stoops, porch decking or ceilings, columns, railings, balusters, brackets shutters, etc., with new materials that match the old in design, texture, visual characteristics, and, where possible materials, so long as the applicant is able to provide one extant example, photographic evidence, or physical evidence that serves as the basis for the work proposed;

Construction of wooden decks that are at the rear of a structure and are not visible from a public right-of-way;

Roof replacement with -compatible roofing materials, or with architectural shingles replacing 3-Tab asphalt shingles;

Installation of storm windows or doors that are compatible with the historic resource or district;

Repair, replacement or installation of foundation-level doors, windows, window wells, and areaways, or foundation vents, venting pipes, or exterior grills that do not alter the character-defining features and/or the historic character of the resource;

Construction of fences that are compatible with the historic site or district in material, height, location, and design; Fence is lower than 48" in front of rear wall plane; Construction of walkways, parking pads, patios, driveways, or other paved areas that are not visible from a public right-of-way and measure no more than 150 square feet in size;

Replacement of existing walkways, parking pads, patios, driveways, or other paved areas with materials that are compatible with the visual character of the historic site and district and that are no greater than the dimensions of the existing hardscape;

Construction of small accessory buildings no larger than 250 square feet in size that are not visible from the public right-of-way;

Installations of skylights on the rear of a structure that will not be visible from the public right-of-way, and would not remove or alter character-defining roof materials;

Installation of solar panels and arrays in locations that are not readily visible from the public right-of-way or that are designed so as to have a minimal impact on the historic resource or the historic district (e.g., systems that are ground-mounted in areas other than the front or side yard of a corner lot, located on accessory or outbuildings, on non-historic additions, or on rear facing roof planes);

Installation of car charging stations in any location on a property or in the right-of-way;

Installation of satellite dishes;

Removal of trees greater than 6" in diameter (d.b.h.) that are dead, dying, or present an immediate hazard.

Removal of trees greater than 6" in diameter (d.b.h.) in the rear of the property that will not impact the overall tree canopy of the surrounding district or historic site;

Replacement tree required as a condition; and, Other minor alterations that may be required by the Department of Permitting Services post-Commission approval that would have no material effect on the historic character of the property.

Staff finds the proposal complies with Chapter 24A, the Secretary of the Interior's Standards for Rehabilitation, and any additional requisite guidance. Under the authority of COMCOR No. 24A.04.01, this HAWP is approved by $\underline{7} - \underline{7}$ method on ______. The approval memo and stamped drawings follow.

Historic Preservation Commission • 2425 Reedie Drive, 13th Floor, Wheaton, MD 20902 • 301/563-3400 • 301/563-3412 FAX

CONTRACT JOB TICKET

WAGNER ROOFING COMPANY INC. 4909 46th Avenue Hyattsville, MD 20781 (301) 927-9030

PROJ#	JOB#
9020	22-MD-0129
DEPT#	CUST#
1-30	BAR058

Bill To: Alicia Barton 3915 Baltimore Street		Job Name: Barton, Alicia Replacment	Residence –	Main House & Porch Shingle Roof	
Kensington, MD 20895 USA		Location:Barton, Alicia Residence3915 Baltimore StreetKensington, MD 20895Site Contact: Alicia BartonSite Phone: (301) 512-1243Site Email: aesbarton@gmail.com		APPROVED	
Warranty Info: *2 Yr.W.W. *Mfr.L.L.W.				Montgomery County Historic Preservation Commission	
Job Notes:		Material: Available in House □	Initial	Rampe ha Matter	
		Metal Fabrication Pending Order By Dan.B		VED Date Expected ruechert at 1:58 pm, Aug 26, 2022	
Job Type:SH08/01/20		Revisions:		Estimator: CL	

Scope of Work:

MAIN HOUSE AND PORCH SHINGLE ROOF REPLACEMENT:

- 1. Erect the required ladders or scaffolding as needed in order to access the work areas safely per OSHA guidelines.
- 2. Install tarps and plywood in order to protect the plants and grounds as needed.
- 3. Remove all existing deteriorated shingle roofing (one layer) from the wood deck and haul resulting debris from the premises.
- 4. Remove all existing underlayments, vent pipe collars, and flashings and haul debris from the premises.
- 5. Inspect the existing wood sheathing and advise the customer of findings. Any deteriorated sheathing will be replaced at an additional rate.
- 6. Install Carlisle WIP 100 ice and water shield at the eaves, valleys, rakes, and other vulnerable flashing points prior to reroofing in accordance with the manufacturer's specifications.
- 7. Install synthetic underlayment over the remainder of the roof area per the manufacturer's specifications.
- 8. Install new prefabricated .032 aluminum drip edge at all eaves and rakes.
- 9. Install new prefabricated .032 aluminum step, apron, and reglet style counterflashing at the chimney.
- 10. Install new prefabricated .032 aluminum step and apron flashing at the rising walls and dormers. Price does not include any siding repairs or replacement at this time. Price to follow upon demolition of the existing roof.
- 11. Install new vent pipe collars and paint vent pipes using exterior grade metal rust inhibitor type paint.
- 12. Install new CertainTeed Landmark architectural shingles per the manufacturer's specifications. Color to be determined.
- 13. Install new cobra vent at the ridge and CertainTeed hip and ridge shingles.
- 14. Gutters and downspouts are to be cleaned and re-secured if possible.
- 15. All debris caused by the above work will be removed upon work completion. This includes the use of a magnet to aid the removal of nails in grass-covered areas. Any spacing of structural roof decking may allow debris particles to fall into the area directly below the roof deck. Unfortunately, we cannot clean interior areas.
- 16. Workmanship guaranteed against leakage for a period of two years from the date of completion.
- 17. Provide the manufacturer's limited lifetime material warranty upon receipt of final payment.

CONTRACT JOB TICKET

WAGNER ROOFING COMPANY INC.	PROJ#	JOB#
4909 46 th Avenue	9020	22-MD-0129
Hyattsville, MD 20781	DEPT#	CUST#
(301) 927-9030	1-30	BAR058

