



HISTORIC PRESERVATION COMMISSION

Marc Elrich
County Executive

Robert Sutton
Chairman

Date: October 12, 2023

MEMORANDUM

TO: Rabbiah Sabbakhan
Department of Permitting Services

FROM: Michael Kyne
Historic Preservation Section
Maryland-National Capital Park & Planning Commission

SUBJECT: Historic Area Work Permit: #1045937 – Roof replacement.

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was **Approved** by historic preservation staff.

The HPC staff has reviewed and stamped the attached construction drawings.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant: Ingrid Carter
Address: 7302 Maple Avenue, Takoma Park

This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once work is complete the applicant will contact Michael Kyne at 301.563.3403 or michael.kyne@montgomeryplanning.org to schedule a follow-up site visit.





HISTORIC PRESERVATION COMMISSION

HAWP #: _____ at: _____

submitted on: _____

has been reviewed and determined that the proposal fits into the following category/categories:

Repair or replacement of a masonry foundation with new masonry materials that closely match the original in appearance;

Installation of vents or venting pipes in locations not visible from the public right-of-way;

New gutters and downspouts;

Removal of vinyl, aluminum, asbestos, or other artificial siding when the original siding is to be repaired and/or replaced in kind;

Removal of accessory buildings that are not original to the site or non-historic construction;

Repair or replacement of missing or deteriorated architectural details such as trim or other millwork, stairs or stoops, porch decking or ceilings, columns, railings, balusters, brackets shutters, etc., with new materials that match the old in design, texture, visual characteristics, and, where possible materials, so long as the applicant is able to provide one extant example, photographic evidence, or physical evidence that serves as the basis for the work proposed;

Construction of wooden decks that are at the rear of a structure and are not visible from a public right-of-way;

Roof replacement with -compatible roofing materials, or with architectural shingles replacing 3-Tab asphalt shingles;

Installation of storm windows or doors that are compatible with the historic resource or district;

Repair, replacement or installation of foundation-level doors, windows, window wells, and areaways, or foundation vents, venting pipes, or exterior grills that do not alter the character-defining features and/or the historic character of the resource;

Construction of fences that are compatible with the historic site or district in material, height, location, and design;

Fence is lower than 48" in front of rear wall plane;

Construction of walkways, parking pads, patios, driveways, or other paved areas that are not visible from a public right-of-way and measure no more than 150 square feet in size;

Replacement of existing walkways, parking pads, patios, driveways, or other paved areas with materials that are compatible with the visual character of the historic site and district and that are no greater than the dimensions of the existing hardscape;

Construction of small accessory buildings no larger than 250 square feet in size that are not visible from the public right-of-way;

Installations of skylights on the rear of a structure that will not be visible from the public right-of-way, and would not remove or alter character-defining roof materials;

Installation of solar panels and arrays in locations that are not readily visible from the public right-of-way or that are designed so as to have a minimal impact on the historic resource or the historic district (e.g., systems that are ground-mounted in areas other than the front or side yard of a corner lot, located on accessory or outbuildings, on non-historic additions, or on rear facing roof planes);

Installation of car charging stations in any location on a property or in the right-of-way;

Installation of satellite dishes;

Removal of trees greater than 6" in diameter (d.b.h.) that are dead, dying, or present an immediate hazard.

Removal of trees greater than 6" in diameter (d.b.h.) in the rear of the property that will not impact the overall tree canopy of the surrounding district or historic site;

Replacement tree required as a condition; and,

Other minor alterations that may be required by the Department of Permitting Services post-Commission approval that would have no material effect on the historic character of the property.

Staff finds the proposal complies with Chapter 24A, the Secretary of the Interior's Standards for Rehabilitation, and any additional requisite guidance. Under the authority of COMCOR No. 24A.04.01, this HAWP is approved by Michael [Signature] on _____. The approval memo and stamped drawings follow.



APPLICATION FOR HISTORIC AREA WORK PERMIT
HISTORIC PRESERVATION COMMISSION
301.563.3400

FOR STAFF ONLY:
HAWP#
DATE ASSIGNED

APPLICANT:

Name: Ingrid Carter
Address: 7302 Maple Ave
Daytime Phone: 202-577-5220

E-mail: ilcarter@gmail.com
City: Takoma Park
Zip: 20912
Tax Account No.: 01073991

AGENT/CONTACT (if applicable):

Name:
Address:
Daytime Phone:

E-mail:
City:
Zip:
Contractor Registration No.:

LOCATION OF BUILDING/PREMISE: MIHP # of Historic Property

Takoma Park

Is the Property Located within an Historic District? x Yes/District Name
No/Indi

Is there an Historic Preservation/Land Trust/Environmental Ea
map of the easement, and documentation from the Easemen

Are o
(Conduc
supplemental information.

APPROVED
Montgomery County
Historic Preservation Commission
[Signature]

REVIEWED
By Michael Kyne at 7:05 pm, Oct 12, 2023

Building Number: Street:
Town/City: Nearest Cross Street:
Lot: Block: Subdivision: Parcel:

TYPE OF WORK PROPOSED: See the checklist on Page 4 to verify that all supporting items
for proposed work are submitted with this application. Incomplete Applications will not
be accepted for review. Check all that apply:

- New Construction
Addition
Demolition
Grading/Excavation
Deck/Porch
Fence
Hardscape/Landscape
Roof
Shed/Garage/Accessory Structure
Solar
Tree removal/planting
Window/Door
Other:

I hereby certify that I have the authority to make the foregoing application, that the application is correct
and accurate and that the construction will comply with plans reviewed and approved by all necessary
agencies and hereby acknowledge and accept this to be a condition for the issuance of this permit.

Ingrid L Carter
Signature of owner or authorized agent
Date: 10/4/23

HAWP APPLICATION: MAILING ADDRESSES FOR NOTIFYING
 [Owner, Owner's Agent, Adjacent and Confronting Property Owners]

Owner's mailing address	Owner's Agent's mailing address
--------------------------------	--

Adjacent and confronting Property Owners mailing addresses

<p>Next door (South):</p> <p>Sophie Kasimow and Seth Shames 7300 Maple Ave Takoma Park MD 20912</p>	<p>Next door (North):</p> <p>Lucy Mikulak and Haluk Ergun 7304 Maple Avenue Takoma Park, MD 20912</p>
---	---

<p>Across the street:</p> <p>Pat and Tom Rumbaugh 7301 Maple Avenue Takoma Park, MD 20912</p>	<p>Behind:</p> <p>Nina Falk and Steve Silverman 7303 Cedar Avenue Takoma Park, MD 20912</p>
---	---

<p>Also behind:</p> <p>Rob and Krysti Grace 7301 Cedar Ave Takoma Park, MD 20912</p>	
--	--

REVIEWED
 By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
 Montgomery County
 Historic Preservation Commission



Description of Property: Please describe the building and surrounding environment. Include information on significant structures, landscape features, or other significant features of the property:

The house is a Queen Anne Victorian built around 1887 in Takoma Park. It is in the Historic District and is surrounded by other residences. The house has a 2 story front porch facing the street and a turret on the facade.

Description of Work Proposed: Please give an overview of the work to be undertaken:

We would like to replace the roof on our property. The roof is very old and is deteriorating and leaking in places. Currently the roof is 3-tab shingles (sloped areas) and roofing paper on the flat areas. We are not going to change the shape or dimensions of the roof. We are asking to do the following:

- 1). Reshingle the roof. We will replace the current 3-tab shingles with architectural shingles (Landmark 30). The 3-tab shingles are no longer available. Our neighbors on both sides have the architectural shingles. We need to repair the siding in areas where it is rotten in order for the roof membrane to go behind the siding.
- 2). There are areas of the roof that are covered in roofing paper. We would like to replace the current material with a Thermoplastic Polyolefin membrane (TPO). This new material would provide weatherproofing and help protect against ambient heat buildup. These areas of the roof are not visible from the street.

REVIEWED

By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED

Montgomery County

Historic Preservation Commission



Robert H. Potter

<p>Re-shingle the roof</p> <p>Work Item 1: _____</p>	
<p>Description of Current Condition:</p> <p>The current roof is falling apart. The shingles are breaking. There is water damage along the edges of the roof.</p>	<p>Proposed Work:</p> <p>We would like to remove the current roof and repair/replace the rotted roof underneath. We would then like to cover the roof with architectural shingles (Landmark 30).</p>

<p>Replace roofing paper</p> <p>Work Item 2: _____</p>	
<p>Description of Current Condition:</p> <p>Areas of the roof have roofing paper (in the rear of the house, and on the turret between the siding and the railing).</p>	<p>Proposed Work:</p> <p>We would like to remove the roofing felt and repair/replace the rotted wood underneath. We would then like to cover those areas of the roof with a TPO membrane which is weather proof. We will repair the railing as well.</p>

REVIEWED
 By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
 Montgomery County
 Historic Preservation Commission



<p>Description of Current Condition:</p>	<p>Proposed Work:</p>
--	-----------------------


**HISTORIC AREA WORK PERMIT
CHECKLIST OF
APPLICATION REQUIREMENTS**

	Required Attachments						
Proposed Work	I. Written Description	2. Site Plan	3. Plans/Elevations	4. Material Specifications	5. Photographs	6. Tree Survey	7. Property Owner Addresses
New Construction	*	*	*	*	*	*	*
Additions/Alterations	*	*	*	*	*	*	*
Demolition	*	*	*		*		*
Deck/Porch	*	*	*	*	*	*	*
Fence/Wall	*	*	*	*	*	*	*
Driveway/Parking Area	*	*		*	*	*	*
Grading/Excavation/Landscaping	*	*		*	*	*	*
Tree Removal	*	*		*	*	*	*
Siding/ Roof Changes	*	*	*	*	*		*
Window/Door Changes	*	*	*	*	*		*
Masonry Repair/Repoint	*	*	*	*	*		*
Signs	*	*	*	*	*		*

REVIEWED
By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
Montgomery County
Historic Preservation Commission





Capitol Surveys, Inc.

10762 Rhode Island Avenue
Beltsville, Maryland 20705
Phone 301-931-1350
Fax 301-931-1352

NOTES: Plat is of benefit to a consumer only insofar as it is required by a lender or a title insurance company or its agent in connection with contemplated transfer, financing or re-financing; the plat is not to be relied upon for the establishment or location of fences, garages, buildings, or other existing or future improvements; and the plat does not provide for the accurate identification of property boundary lines, but such identification may not be required for the transfer of title or securing financing by refinancing.

LOCATION DRAWING
LOT 23 BLOCK 5

TAKOMA PARK

MONTGOMERY COUNTY, MARYLAND

Recorded in Plat Book A Plat 3 Scale 1" = 30'

DATE DE 18 2012 PM 11 26 23

DATE SEPTEMBER 20, 2012

I hereby certify this location drawing was prepared in accordance with the minimum standards of practice for the State of Maryland and that the same are, in my belief, correctly observed.

Mar
Lic

REVIEWED
By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
Montgomery County
Historic Preservation Commission

[Signature]

Front of house



REVIEWED

By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED

Montgomery County

Historic Preservation Commission

A handwritten signature in black ink, appearing to read "Robert A. Adams". The signature is written in a cursive style and is positioned above a horizontal line.

South side of house (looking north on Maple Ave)



You can see the water damage on the house from the roof.

REVIEWED

By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED

Montgomery County

Historic Preservation Commission



Front of house: close up images of roof quality



REVIEWED
By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
Montgomery County
Historic Preservation Commission
Robert H. Norton



Turret:



Close up of turret. The top is buckling in and separating from the rim.

REVIEWED

By Michael Kyne at 7:05 pm, Oct 12, 2023



Water damage under window



APPROVED


Montgomery County

Historic Preservation Commission

Robert H. [Signature]

This is the area between the turret and the railings. It is covered in roofing paper. We would like to change it to TPA membrane.

Rear of house:



REVIEWED

By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
Montgomery County
Historic Preservation Commission

A handwritten signature in black ink, reading "Robert H. Norton".



This area of the roof that is covered in roofing paper we would like to change to TPA membrane. It is not visible from the street.

Neighbor's houses - they have the architectural shingles



REVIEWED
By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED
Montgomery County
Historic Preservation Commission
Robert G. ...

Shingles: Landmark 30

LANDMARK®

PRODUCTS AVAILABLE NEAR ZIP CODE:
20912

Some colors unavailable due to COVID-19 disruption, check with a local contractor for current options.

Due to variation in computer monitors and printers, the color samples seen on your computer screen may not exactly match the responding color. To verify actual product color, ask to see the actual product, available through a CertainTeed contractor or distributor.

Get Help

TPO Membrane:

WHAT IS TPO?



In-progress photo of a TPO roof installation

Thermoplastic Polyolefin is a single-ply roofing membrane that is one of the fastest-growing commercial roofing systems on the market. TPO roofing systems are a single layer of synthetics and reinforcing scrim used to cover flat roofs.

REVIEWED

By Michael Kyne at 7:05 pm, Oct 12, 2023

APPROVED

Montgomery County

Historic Preservation Commission