

HISTORIC PRESERVATION COMMISSION

Marc Elrich
County Executive

Robert K. Sutton

Chairman

Date: April 20, 2023

MEMORANDUM

TO: Ehsan Motazedi, Acting DPS Director & Deputy Director Department of Permitting

Services

FROM: Dan Bruechert

Historic Preservation Section

Maryland-National Capital Park & Planning Commission

SUBJECT: Historic Area Work Permit #1023948 - Window Replacement

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was **Approved** At the April 12 2023 HPC meeting.

The HPC staff has reviewed and stamped the attached construction drawings.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant: Raphael Lewis


Address: 7014 Poplar Ave., Takoma Park


This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once work is complete the applicant will contact Dan Bruechert at 301.563.3400 or dan.bruechert@montgomeryplanning.org to schedule a follow-up site visit.




PRODUCT DETAILS

Casement Single Units






Base Frame - Single Unit



8

PRODUCT DETAILS

DG Double-Hung Base Frame



What are Renewal by Andersen windows made of?

All of our windows are made of Fibrex® material, a revolutionary composite made from reclaimed wood fiber blended with a polymer. This gives our windows the strength and durability of wood and the low-maintenance features of vinyl, while greatly limiting thermal transmittance that can be found in other window materials such as metal.

Unlike many other window materials, Fibrex composite material won't flake, rust, blister, peel, crack, pit, or corrode. It is also two times stronger than vinyl and resists warping and bowing. Never worry about scraping or painting your windows again.

FIBREX MATERIAL



APPROVED

Montgomery County

Historic Preservation Commission

Rama hama

REVIEWED

By Dan.Bruechert at 12:09 pm, Apr 20, 2023

Smart Materials

Fibrex material is twice as strong as vinyl, so weathertight seals stay weathertight.

Color Choice

Our unique process fuses color to Fibrex material for long-lasting beauty. And it offers dark exterior colors not available on most other replacement windows.

Exceptional Comfort

Fibrex material blocks thermal transfer nearly 700 times better than aluminum to help reduce heating and cooling bills.

Outstanding Durability

Fibrex material retains its stability and rigidity in all climates.¹


	FIBREX			
	MATERIAL	VINYL	ALUMINUM	WOOD
Insulating Properties	0	1		1
Low Maintenance	0	1	1	
Resistance to Decay/Corrosion	0	1		
Structural Rigidity	0		1	1
Durability	0		1	1
Color Choices	0			1
Dark Color Performance	0		1/1	1






PRODUCT DETAILS

Gliding Window AS and SA Universal Frame - Base









Susan Salek

7014 Poplar Ave Tacoma Park , MD 20912 (202)794-0322

ID# ROOM SIZE DETAILS

Misc: Misc, CapRegion Job, Permit Fee (All non- COFA), A delay in installation can be expected and is dependent on the local jurisdiction.

101a Living 32 W

101b Living

102 Living

rSuite Capital Price 1.26.2023

45 H

32 W

45 H

32 W

45 H

Window: Double-Hung (DG) , 1:1, Flat Sill, Insert Frame,

Traditional Checkrail, Exterior White, Interior

White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass,

No Pattern **Hardware:** White **Screen:** Fiberglass , Half Screen**Grille Style:** Grilles Between Glass (GBG) **Grille**

Pattern: Sash 1: Colonial 3w x 1h , Sash 2: No Grille **Misc:** Trim- Omit Interior , New Interior Trim not needed/desired.

Window: Double-Hung (DG), 1:1, Flat Sill, Insert Frame,

Traditional Checkrail, Exterior White, Interior

White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass,

No Pattern **Hardware:** White **Screen:** Fiberglass , Half Screen**Grille Style:** Grilles Between Glass (GBG) **Grille Pattern:** Sash 1: Colonial 3w x 1h , Sash 2: No Grille**Misc:**

Trim- Omit Interior , New Interior Trim not needed/desired.

Window: Double-Hung (DG) , 1:1, Flat Sill, Insert Frame,

Traditional Checkrail, Exterior White, Interior

White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass,

No Pattern **Hardware:** White **Screen:** Fiberglass , Half Screen**Grille Style:** Grilles Between Glass (GBG) **Grille**

Pattern: Sash 1: Colonial 3w x 1h , Sash 2: No Grille **Misc:** Trim- Omit Interior , New Interior Trim not needed/desired.

APPROVED

Montgomery County

Historic Preservation Commission

Admit ho

DEVIEWED

By Dan.Bruechert at 12:10 pm, Apr 20, 2023

103	Bedroom	32 W	Window: Double-Hung (DG) , 1:1, Flat Sill, Insert Frame,
		45 H	Traditional Checkrail, Exterior White, Interior
			WhitePerformance Calculator: PG Rating: 40 DP Rating: +
			40 / - 40 Glass: All Sash: High Performance SmartSun Glass,
			No Pattern Hardware: White Screen: Fiberglass , Half
			Screen Grille Style: Grilles Between Glass (GBG) Grille
			Pattern: Sash 1: Colonial 3w x 1h , Sash 2: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
104	Bedroom	32 W	Window: Double-Hung (DG) , 1:1, Flat Sill, Insert Frame,
		45 H	Traditional Checkrail, Exterior White, Interior
			WhitePerformance Calculator: PG Rating: 40 DP Rating: +
			40 / - 40 Glass: All Sash: High Performance SmartSun Glass,
			No Pattern Hardware: White Screen: Fiberglass , Half
			ScreenGrille Style: Grilles Between Glass (GBG) Grille
			Pattern: Sash 1: Colonial 3w x 1h , Sash 2: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
105	Bathroom	24 W	Window: Casement, Single, Right, Base Frame, Exterior
	244	37 H	White, Interior WhitePerformance Calculator: PG Rating: 40
			DP Rating: + 40 / - 40 Glass: All Sash: High Performance
			SmartSun Glass, Obscure, Tempered Glass Hardware: White
			Screen: Fiberglass , Full ScreenGrille Style: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
106	office	32 W	Window: Double-Hung (DG), 1:1, Flat Sill, Insert Frame,
		45 H	Traditional Checkrail, Exterior White, Interior
			WhitePerformance Calculator: PG Rating: 40 DP Rating: +
			40 / - 40 Glass: All Sash: High Performance SmartSun Glass,
			No Pattern Hardware: White Screen: Fiberglass , Half
			ScreenGrille Style: Grilles Between Glass (GBG) Grille
			Pattern: Sash 1: Colonial 3w x 1h , Sash 2: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
107	office	32 W	Window: Double-Hung (DG) , 1:1, Flat Sill, Insert Frame,
		45 H	Traditional Checkrail, Exterior White, Interior
			White Performance Calculator: PG Rating: 40 DP Rating: +
			40 / - 40 Glass: All Sash: High Performance SmartSun Glass,
			No Pattern Hardware: White Screen: Fiberglass , Half
		APPROVED	Screen Grille Style: Grilles Between Glass (GBG) Grille
	Mont	gomery County	Pattern: Sash 1: Colonial 3w x 1h , Sash 2: No Grille Misc:
	Montgomery County		Time Could be harden. New letterine Time and an add discipled

REVIEWED

Historic Preservation Commission

By Dan.Bruechert at 12:10 pm, Apr 20, 2023

Trim- Omit Interior , New Interior Trim not needed/desired.

108	Kitchen	24 W 37 H	Window: Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior White, Interior
		37 11	WhitePerformance Calculator: PG Rating: 40 DP Rating: +
			40 / - 40 Glass: All Sash: High Performance SmartSun Glass,
			No Pattern Hardware: White Screen: Fiberglass , Half
			Screen Grille Style: Grilles Between Glass (GBG) Grille
			Pattern: Sash 1: Colonial 2w x 1h , Sash 2: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
			•
109	Kitchen	32 W	Window: Casement, Single, Left, Base Frame, Exterior White,
		37 H	Interior White Performance Calculator: PG Rating: 40 DP
			Rating: + 40 / - 40 Glass: All Sash: High Performance
			SmartSun Glass, No Pattern Hardware: White Screen:
			Fiberglass, Full Screen Grille Style: Grilles Between Glass
			(GBG) Grille Pattern: All Sash: Farmhouse 3w x 1h Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
110	basement bed	36 W	Window: Gliding , Double, 1:1, Active / Passive, Base Frame,
		24 H	Exterior White, Interior WhitePerformance Calculator: PG
			Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High
			Performance SmartSun Glass, No Pattern Hardware: White
			Screen: Fiberglass , Half ScreenGrille Style: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
111	basement bed	36 W	Window: Gliding , Double, 1:1, Active / Passive, Base Frame,
		24 H	Exterior White, Interior WhitePerformance Calculator: PG
			Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High
			Performance SmartSun Glass, No Pattern Hardware: White
			Screen: Fiberglass , Half ScreenGrille Style: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
112	basement	36 W	Window: Gliding , Double, 1:1, Active / Passive, Base Frame,
		24 H	Exterior White, Interior WhitePerformance Calculator: PG
			Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High
			Performance SmartSun Glass, No Pattern Hardware: White
			Screen: Fiberglass , Half ScreenGrille Style: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
113	basement bath	36 W	Window: Gliding , Double, 1:1, Active / Passive, Base Frame,
	2400mone butil	24 H	Exterior White, Interior White Performance Calculator: PG
			Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High
	APPROV	FD.	Performance SmartSun Glass, No Pattern Hardware: White
	ALLIOV		Canana Fibergless Helf Canan Orilla Chula Na Cailla Bi

Montgomery County
Historic Preservation Commission

REVIEWED

By Dan.Bruechert at 12:10 pm, Apr 20, 2023

Screen: Fiberglass , Half ScreenGrille Style: No Grille Misc:

Trim- Omit Interior , New Interior Trim not needed/desired.

114	Laundry	36 W	Window: Gliding , Double, 1:1, Active / Passive, Base Frame,
		24 H	Exterior White, Interior White Performance Calculator: PG
			Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High
			Performance SmartSun Glass, No Pattern Hardware: White
			Screen: Fiberglass , Half ScreenGrille Style: No Grille Misc:
			Trim- Omit Interior , New Interior Trim not needed/desired.
115	Laundry	36 W	Window: Gliding , Double, 1:1, Active / Passive, Base Frame,
		24 H	Exterior White, Interior White Performance Calculator: PG
			Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High
			Rating. 40 Dr Rating. + 40 / - 40 Glass. All Sasii. High
			Performance SmartSun Glass, No Pattern Hardware: White
			Performance SmartSun Glass, No Pattern Hardware: White

WINDOWS: 16 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 1

UPDATED: 03/08/23

APPROVED

Montgomery County
Historic Preservation Commission

REVIEWED

By Dan.Bruechert at 12:10 pm, Apr 20, 2023