

HISTORIC PRESERVATION COMMISSION

Marc Elrich
County Executive

Sandra I. Heiler Chairman

Date: July 20, 2020

MEMORANDUM

TO: Mitra Pedoeem

Department of Permitting Services

FROM: Michael Kyne

Historic Preservation Section

Maryland-National Capital Park & Planning Commission

SUBJECT: Historic Area Work Permit #917659: New deck

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was **Approved** at the July 15, 2020 HPC meeting.

The HPC staff has reviewed and stamped the attached construction drawings.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant: Clear Choice of Maryland (Alan Kozlowski, Agent)

Address: 509 Philadelphia Avenue, Takoma Park

This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once work is complete the applicant will contact Michael Kyne at 301.563.3403 or michael.kyne@montgomeryplanning.org to schedule a follow-up site visit.



TAKOMA PARK, MD 2091Z

REVIEWED

By Michael Kyne at 2:00 pm, Jul 20, 2020

APPROVED

Montgomery County

Historic Preservation Commission

Sandral. Kkiler

24×14 UPPER DECK 33" OFF GROUND

2×10 LEDGER ATTACHED TO HOUSE BAND WITH 2 ROWS

5" LAGS, 4" LONG, 12" SPACED

4'SPAN 2×10 JOIST ON HANGERS, 12" SPACED, NO CANTELIVER

2×10 RIM JOIST, BEAM ON 2×6×6 POST, 7'SPAN

FOOTINGS 30" WIDE, 36" BELOW GLOUND, EMBEDED

4'x7' LOWER DECK 13" OFF GROUND, FREE STANDING 2×10 JOIST, SPAN 10', CANTELIVER 2' ON EACH JOIST, 12" SPACED 2 BEAMS, 3×2×12, 3 POSTS EACH BEAM, 2' CANTELIVER ON EACH 10' BEAM SPAN. FOOTINGS 30" WIDE, 36" BELOW GROUND, EMBEDED

PAILS: WOLF 200 SERIES DECETOP RAIL WITH ROUND

ALUMINUM BALUSTERS

FLOOR: WOLF PERSPECTIVE GROOVED BOARD 5.5"

PRILLING MOUNTED ON LOWER DECK OUTER EDGES

RAILING MOUNTED ON LOWER DECK OUTER EDGES

WITH PUC SLEEVE OVER AND 6'S PAN RAILS WITH DECK TOP BOARD

WITH PUC SLEEVE OVER AND 6'S PAN RAILS WITH DECK TOP BOARD

BEAGH

BEAGH

BEAGH

AND

STAIRS: 72 RISER, 12"TREAD, 2×2 STRINGTER

UPPER TO LOWER STEPS SUPPORTED BY LOWER DECK FRAMING

LOWER TO BOOK STEPS SUPPORTED ON SLAB

WITH PUC SLEEVE OVER AND 6'S PAN RAILS WITH DECK TOP BOARD

WITH PUC SLEEVE OVER AND 6'S PAN RAILS WITH DECK TOP BOARD

BEAGH

BEA

SIDE DETAIL

REVIEWED


By Michael Kyne at 2:01 pm, Jul 20, 2020

APPROVED

Montgomery County

Historic Preservation Commission

Sandrad. Xkiler



1 = 4" SOO9 PHILADELPHIA AVE

STAIR DETAIL

TAKOMAPARK, MD 20912

REVIEWED

By Michael Kyne at 2:01 pm, Jul 20, 2020

APPROVED Montgomery County

Historic Preservation Commission

Sandral . Xkiler

5009 PHILADELPHIA AVE TAKOMA PARK IND 20012

FREE STANDING LOWER DECK 241×14, 13 OFF
2×10 FRAMING, 12"SPACING
2×10 JOIST SPAN 10', CANTEUVER 2' 2×12 BEAM TRIPLE 10 SPAN, CANTELIVER 2) HANGERS ON RIM JOIST, 2 BEAMS 3 POSTS EACH BEAM, ENGEDED IN GROUND 30"FOOTINGS, 36" BELOW GROUND

> 4×71 UPPER DECK ; 33" OFF GROUND 2×10 DROPPED BEAM/RIM WITH HANGERS, 5'BEAM SPAN 7 2×10701ST SPAN 12" SPACING LEDGER ATTACHED TO BAND \$ LAG, 4"LONG, 12"SPACED LEDGER TWO ROWS 2 POSTS 30" FOOTINGS, 36"BELOW EMBEDED IN GROUND HANGERS ON RIM JOIST NO CANTELIVER

> > STAIRS: 72 RISER, 12"TREAD STRINGER 2×12 UPPER DECK STEPS SUPPORTED ON LOWER DECK FRAMING LOWER DECK TO GROUND STEPS ON CONCRETE PAD

PAIL

ETOIST

BEAM

Lower Deck

RAILS: WOLF 200 SERIES DECKTOP RAIL WITH ROUND ALUMINUM BALUSTERS FLOOR: WOLF PERSPECTIVE GROOVED BOARD 5.5"

FOOTER

EXISTING HOME

TOP DETAIL