

HISTORIC PRESERVATION COMMISSION

Marc Elrich
County Executive

Robert K. Sutton

Chairman

Date: August 23, 2023

MEMORANDUM

TO: Rabbiah Sabbakhan, DPS Director Department of Permitting

Services

FROM: Winnie Cargill

Historic Preservation Section

Maryland-National Capital Park & Planning Commission

SUBJECT: Historic Area Work Permit #1040976 - Roof Replacement

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was **Approved** by the HPC Staff.

The HPC staff has reviewed and stamped the attached construction drawings.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant: Jordan Riese

Address: 10009 Leafy Ave., Silver Spring

This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once work is complete the applicant will contact Winnie Cargill at 301.495.2108 or winnie.cargill@montgomeryplanning.org to schedule a follow-up site visit.





| HAWP #: | at: | |
|-----------------|------------|---|
| submitted on: | | |
| has been reviev | ved and de | termined that the proposal fits into the following category/categories: |

Repair or replacement of a masonry foundation with new masonry materials that closely match the original in appearance;

Installation of vents or venting pipes in locations not visible from the public right-of-way;

New gutters and downspouts;

Removal of vinyl, aluminum, asbestos, or other artificial siding when the original siding is to be repaired and/or replaced in kind;

Removal of accessory buildings that are not original to the site or non-historic construction;

Repair or replacement of missing or deteriorated architectural details such as trim or other millwork, stairs or stoops, porch decking or ceilings, columns, railings, balusters, brackets shutters, etc., with new materials that match the old in design, texture, visual characteristics, and, where possible materials, so long as the applicant is able to provide one extant example, photographic evidence, or physical evidence that serves as the basis for the work proposed;

Construction of wooden decks that are at the rear of a structure and are not visible from a public right-of-way;

Roof replacement with -compatible roofing materials, or with architectural shingles replacing 3-Tab asphalt shingles;

Installation of storm windows or doors that are compatible with the historic resource or district;

Repair, replacement or installation of foundation-level doors, windows, window wells, and areaways, or foundation vents, venting pipes, or exterior grills that do not alter the character-defining features and/or the historic character of the resource:

Construction of fences that are compatible with the historic site or district in material, height, location, and design; Fence is lower than 48" in front of rear wall plane;

Construction of walkways, parking pads, patios, driveways, or other paved areas that are not visible from a public right-of-way and measure no more than 150 square feet in size;

Replacement of existing walkways, parking pads, patios, driveways, or other paved areas with materials that are compatible with the visual character of the historic site and district and that are no greater than the dimensions of the existing hardscape;

Construction of small accessory buildings no larger than 250 square feet in size that are not visible from the public right-of-way;

Installations of skylights on the rear of a structure that will not be visible from the public right-of-way, and would not remove or alter character-defining roof materials;

Installation of solar panels and arrays in locations that are not readily visible from the public right-of-way or that are designed so as to have a minimal impact on the historic resource or the historic district (e.g., systems that are ground-mounted in areas other than the front or side yard of a corner lot, located on accessory or outbuildings, on non-historic additions, or on rear facing roof planes);

Installation of car charging stations in any location on a property or in the right-of-way;

Installation of satellite dishes;

Removal of trees greater than 6" in diameter (d.b.h.) that are dead, dying, or present an immediate hazard.

Removal of trees greater than 6" in diameter (d.b.h.) in the rear of the property that will not impact the overall tree canopy of the surrounding district or historic site;

Replacement tree required as a condition; and, Other minor alterations that may be required by the Department of Permitting Services post-Commission approval that would have no material effect on the historic character of the property.

Staff finds the proposal complies with Chapter 24A, the Secretary of the Interior's Standards for Rehabilitation, and any additional requisite guidance. Under the authority of COMCOR No. 24A.04.01, this HAWP is approved by ________ on ______. The approval memo and stamped drawings follow.

| Yes/District Name | |
|-------------------------|--|
| No/Individual Site Name | |

FOR STAFF ONLY: HAWP#_ DATE ASSIGNED____



APPLICATION FOR HISTORIC AREA WORK PERMIT HISTORIC PRESERVATION COMMISSION 301.563.3400

| Α | D | D | C | Λ | M | T. |
|---|---|---|---|---|---|----|
| A | г | М | | н | м | 11 |

| APPLICANT: | | | | | |
|--|--|---|--|--|--|
| Name: | E-mail: _ | | | | |
| Address: | City: | Zip: | | | |
| Daytime Phone: | Tax Acco | Tax Account No.: | | | |
| AGENT/CONTACT (if applica | ble): | | | | |
| Name: | E-mail: _ | | | | |
| Address: | City: | Zip: | | | |
| Daytime Phone: | Contract | tor Registration No.: | | | |
| LOCATION OF BUILDING/PR | EMISE: MIHP # of Historic Property | у | | | |
| Is the Property Located within | an Historic District? | | | | |
| map of the easement, and do Are other Planning and/or Hea (Conditional Use, Variance, Re supplemental information. | cumentation from the Easement Ho aring Examiner Approvals / Reviews cord Plat, etc.?) If YES, include info | s Required as part of this Application? ormation on these reviews as | | | |
| Building Number: | Street: | | | | |
| Town/City: | Nearest Cross Street: _ | | | | |
| Lot: Block: | Subdivision: P | Parcel: | | | |
| for proposed work are subseted for review. Che New Construction Addition Demolition Grading/Excavation I hereby certify that I have the | Deck/Porch Fence Hardscape/Landscape Roof e authority to make the foregoing a | | | | |

HAWP APPLICATION: MAILING ADDRESSES FOR NOTIFING [Owner, Owner's Agent, Adjacent and Confronting Property Owners] Owner's mailing address Owner's Agent's mailing address Adjacent and confronting Property Owners mailing addresses

| landscape features, or other signi | ficant features of the proj | perty: | | |
|--|-----------------------------|------------------------|-------------|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Description of Work Propo | sed: Please give an overv | riew of the work to be | undertaken: | |
| Description of Work Propo | sed: Please give an overv | riew of the work to be | undertaken: | |
| Description of Work Propo | sed: Please give an overv | riew of the work to be | undertaken: | |
| | sed: Please give an overv | riew of the work to be | undertaken: | |
| VIEWED | | riew of the work to be | undertaken: | |
| VIEWED | | riew of the work to be | undertaken: | |
| VIEWED Winnie Cargill at 7:53 an APPROVED Montgomery County | | riew of the work to be | undertaken: | |
| VIEWED Winnie Cargill at 7:53 an APPROVED Montgomery County | | riew of the work to be | undertaken: | |
| | | riew of the work to be | undertaken: | |

| Work Item 1: | <u> </u> |
|---|----------------|
| Description of Current Condition: | Proposed Work: |
| REVIEWED By Winnie Cargill at 7:53 am, Aug 23, 2023 | |
| APPROVED Montgomery County istoric Preservation Commission AMMEU, AMMA | |
| Work Item 2: | <u> </u> |
| Description of Current Condition: | Proposed Work: |
| 1A7 1 Tr 2 | |
| Work Item 3: | |
| Description of Current Condition: | Proposed Work: |

HISTORIC AREA WORK PERMIT CHECKLIST OF APPLICATION REQUIREMENTS

| | Required Attachments | | | | | | |
|---------------------------------------|---------------------------|--------------|-------------------------|----------------------------|----------------|----------------|-----------------------------------|
| Proposed Work | I. Written Description | 2. Site Plan | 3. Plans/ Elevations | 4. Material Specifications | 5. Photographs | 6. Tree Survey | 7. Property Owner Addresses |
| New Construction | * | * | * | * | * | * | * |
| Additions/ Alterations | * | * | * | * | * | * | * |
| Demolition | * | * | * | | * | | * |
| Deck/Porch | * | * | * | * | * | * | * |
| Fence/Wall | * | * | * | * | * | * | * |
| Driveway/ Parking Area | * | * | | * | * | * | * |
| Grading/Exc avation/Land scaing | * | * | | * | * | * | * |
| Tree Removal | * | * | | * | * | * | * |
| Siding/ Roof Changes | * | * | * | * | * | | * |
| Window/ Door Changes | * | * | * | * | * | | * |
| Masonry Repair/ Repoint | * | * | * | * | * | | * |
| Signs | * | * | * | * | * | | * |

REVIEWED

By Winnie Cargill at 7:53 am, Aug 23, 2023








Existing photos provided by applicant









Millions of families have found shelter under a beautiful, durable, Timberline® roof. Now, Timberline® UHDZ™ shingles offer a combination of beauty and benefits that goes beyond any Timberline® shingles available before.





Your roof is a promise, an investment, and beyond

Choosing a roof for your home means making a promise of shelter. An investment in security. And setting high expectations for beauty and durability.

Once you've set your expectations, choosing a Timberline $^{\text{\tiny{8}}}$ UHDZ $^{\text{\tiny{M}}}$ roof is a great way to go beyond.

It's our only shingle to offer the Dual Shadow Line for sunset shadows all day long. And it comes with a 30-year StainGuard Plus PRO™ limited warranty against blue-green algae discoloration.

And that's just the beginning.

¹ 30-year StainGuard Plus PRO™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus PRO™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions, and qualifying products.

It's a shingle that helps your roofer do their best work

LayerLock® Technology strengthens the bond between layers of your Timberline® UHDZ™ Shingles. To help your roofer give you the best possible installation. And to help you rest easy when the wind is howling outside.

Here's how it works:

The strength added by LayerLock® Technology allowed GAF to create the StrikeZone® nailing area — the industry's widest nail zone — which offered 99.9% nailing accuracy in our test.1

LayerLock® Technology also powers the industry's first wind warranty with no maximum wind speed limitation. Timberline® UHDZ™ Shingles are eligible for the WindProven™ limited wind warranty when installed with the required combination of four qualifying GAF Accessories.²



¹ Results based on study conducted by Home Innovation Research Labs, an independent research lab, comparing installation of Timberline HD[®] Shingles to Timberline HD[™] Shingles on a 16-square roof deck using standard 4-nail nailing pattern under controlled laboratory conditions. Actual results may vary.

² 15-year WindProven[™] limited wind warranty on Timberline[®] UHDZ[™] Shingles requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See GAF Roofing System Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. For installations not eligible for the WindProven[™] limited wind warranty, see GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.





It's sunset shadows all day long

The angle of a sunset creates a unique touch of shadow that adds definition and depth to everything it touches. Including your shingles. In fact, it can take your beautiful home and make it breathtaking.

Imagine that moment lasting all day. That's what we've done with our exclusive Dual Shadow Line, only available on Timberline® UHDZ™ Shingles.

Dual Shadow Line adds depth so exceptional, it takes your home's curb appeal to even greater heights. The impact is unmistakable.



It's strong protection against algae stains

GAF Time-Release Algae-Fighting Technology delivers algae-fighting power in a whole new way. Specially engineered capsules are infused with thousands of copper microsites, which release copper steadily over time, for long-lasting algae-fighting power.

Timberline® UHDZ™ Shingles feature 10% more GAF Time-Release Algae-Fighting Technology than even our best-selling Timberline® HDZ™ shingles, for protection so strong it allows GAF to offer a 30-year StainGuard Plus PRO™ Algae Protection Limited Warranty against blue-green algae discoloration.¹

More Time-Release Algae-Fighting power. More protection for the beauty of those Dual Shadow Lines.



¹ 30-year StainGuard Plus PRO™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus PRO™ logo. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions and qualifying products.





Charcoal

Charcoal is the most neutral of shades, and works wonderfully with blues, grays, whites, yellow, gold, sage, and green.









It's a system, built to protect

A Timberline® UHDZ™ roof is so much more than shingles. It's layers of protection, working together to help keep your home safe from rain, snow, sun, and wind.

In fact, installing 4 qualifying GAF Accessories — GAF starter strips, roof deck protection, ridge cap shingles, and either leak barrier or attic ventilation — in one roof system makes Timberline® UHDZ™ Shingles eligible for the WindProven[™] limited wind warranty.¹

Visit gaf.com/LRS for qualifying GAF products.

Install any GAF Lifetime[†] Shingle and non-prorated coverage for the first 10 and get a Lifetime[†] limited warranty

at least 3 qualifying GAF Accessories years. For even stronger coverage, ask your GAF factory-certified contractor² on your qualifying GAF products plus about enhanced GAF warranties.



Ridge Cap Shingles

at the hips and ridges

Helps reduce attic moisture and heat

Lifetime Shingles[†] Beautify and protect for years to come

Starter Strip Shingles

Roof Deck Protection

Helps shield the roof

deck from moisture

Helps prevent leaks

rain and ice dams

infiltration

Leak Barrier

Cobra® Attic Ventilation

The GAF Lifetime[†] Roofing System The finishing touch that helps defend against leaks Helps guard against shingle blow-offs caused by wind-driven

t Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a singlefamily detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime Shingles only. See the GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime Shingle and at least 3 qualifying GAF Accessories. See the GAF Roofing System Limited Warranty for complete coverage and restrictions. For installations not eligible for the GAF Roofing System Limited Warranty, see the GAF Shingle & Accessory Limited Warranty. Visit gaf.com/LRS for qualifying GAF products.

¹ Contractors enrolled in GAF certification programs are not employees or agents of GAF, and GAF does not control or otherwise supervise these independent businesses. Contractors may receive benefits, such as loyalty rewards points and discounts on marketing tools from GAF for participating in the program and offering GAF enhanced warranties, which require the use of a minimum amount of GAF products.

¹⁵⁻year WindProven™ limited wind warranty on Timberline® UHDZ™ Shingles requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See GAF Roofing System Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. For installations not eligible for the WindProven™ limited wind warranty, see GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions



DEPARTMENT OF PERMITTING SERVICES

Marc Elrich
County Executive

Rabbiah Sabbakhan *Director*

HISTORIC AREA WORK PERMIT APPLICATION

Application Date: 8/16/2023

Application No: 1040976

AP Type: HISTORIC Customer No: 1472447

Comments

Full roof replacement

Affidavit Acknowledgement

The Contractor is the Primary applicant authorized by the property owner This application does not violate any covenants and deed restrictions

Primary Applicant Information

Address 10009 LEAFY AVE

SILVER SPRING, MD 20910

Othercontact Presidential Exteriors LLC (Primary)

Historic Area Work Permit Details

Work Type RESREF

Scope of Work Full roof replacement. Removing existing 3-tab shingles, replacing with GAF Timberline Ultra HDZ Architectural Shingles.