
greenwich forest H.D.

7011 114WP



Plans for Stempins
stemped plans
where bin
10/28/11



HISTORIC PRESERVATION COMMISSION

Isiah Leggett County Executive Leslie Miles Chairperson

Date: 10/28/11

MEMORANDUM

TO:

Hadi Mansouri, Acting Director Department of Permitting Services

FROM:

Anne Fothergill

Planner Coordinate

Historic Preservation Section-Planning Department

Maryland-National Capital Park & Planning Commission

SUBJECT:

Historic Area Work Permit #580261 & 580262—alterations to hardscape, fencing, & front portico

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP) and this application was **approved** by the HPC on October 12, 2011.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant:

Timothy Hanway and Cheryle Edleson-Hanway

Address:


7827 Hampden Avenue, Bethesda

This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once the work is completed the applicant will contact the staff person assigned to this application at 301-563-3400 to schedule a follow-up site visit.





Edit 6/21/99



HISTORIC PRESERVATION COMMISSION 301/563-3400

PHASEZ

APPLICATION FOR HISTORIC AREA WORK PERMIT

· .			Daytime Phone No.:	101-907	4535 X113
Tax Account No.: 004					•
Name of Property Owner HAD	NAYTIMOTY	& CHEZYL	Daytime Phone No.: Z	40-743	4577
Address 7827 Homp Street Number	DEW TYN	E PETHES	SDA MARY	LAND	20814
Contractor: AUTHONY	UNIVE HEC	JEID BUIL	Steet		Zip Code
Contractor Registration No.:		DOLL COLL	Phone No.:		·
Agent for Owner: MARN			D	-1 0 ₂ -	1635 (1)
			Usyteme Phone No.:	01-407	4555X13
OCATION OF BUILDING PREM	ISE				
House Number: <u>+827</u>			HAMPDE		E
Town/City: BETHE		,		D RO	47
Lot: 16 Block:	•				·
Liber: Folio:	Parc	el:			
PART ONE: TYPE OF PERMIT A	CTION AND USE				
1A. CHECK ALL APPLICABLE:		. CHECK ALL A	APPLICABLE:		
Construct Extend	Alter/Renovate		Steab ☐ Room Addi	ion 🗆 Porch	□ Deck □ Shed
☐ Move ☐ Install	☐ Wreck/Raze		Fireplace 🔲 Woodburnin		Single Family
☐ Revision ☐ Repair	☐ Revocable			Other POR	•
	A				1100
1B. Construction cost estimate: \$	40,000			4	eede Panic
1B. Construction cost estimate: \$1C. If this is a revision of a previous!			•	<u> </u>	REAR PANE
1C. If this is a revision of a previous	y approved active permit	, see Permit #		<u></u>	eede Pane
1C. If this is a revision of a previous	y approved active permit	. see Permit #		<u></u>	REAR PANG
1C. If this is a revision of a previously PART TWO: COMPLETE FOR NO 2A. Type of sewage disposal:	y approved active permit W CONSTRUCTION A 01 WSSC	See Permit #	03 (1) Other:		
1C. If this is a revision of a previously PART TWO: COMPLETE FOR NO 2A. Type of sewage disposal:	y approved active permit	. see Permit #			
1C. If this is a revision of a previously PART TWO: COMPLETE FOR NO 2A. Type of sewage disposal:	y approved active permit. EW CONSTRUCTION A 01 ★ WSSC 01 ★ WSSC	See Permit #	03 (1) Other:		
PART TWO: COMPLETE FOR NI 2A. Type of sewage disposal: 2B. Type of water supply:	y approved active permit. EW CONSTRUCTION A 01 ★ WSSC 01 ★ WSSC	See Permit #	03 (1) Other:		
PART TWO: COMPLETE FOR NI 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY	y approved active permit W CONSTRUCTION A O1 X WSSC O1 X WSSC TOR FENCE/RETAINING inches	See Permit #	03 🗋 Other:		
PART TWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height	y approved active permit W CONSTRUCTION A O1 X WSSC O1 X WSSC TOR FENCE/RETAINING inches	NG WALL structed on one of the following was a structed on one of the structed one of the struc	03 🗋 Other:	<u>-</u>	
PART TWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height feet 2 3B. Indicate whether the fence or n On party line/property line	y approved active permit. EW CONSTRUCTION A O1 X WSSC O1 X WSSC FOR FENCE/AFTAININ inches etaining wall is to be con	See Permit #	03 Other: 03 Other: lowing locations: On public right of way/	- Pësëment	
PART TWO: COMPLETE FOR NI 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height	on the senting wall is to be constructed on the senting wall is to be constructed on the senting wall in the senting wall wall in the senting wall in the senting wall in the senting wall wall in the senting wall wall wall wall wall wall wall wal	VIDEXTEND/ADDITION O2 Septic O2 Well NG WALL Instructed on one of the following application, that the en-	03 Other: 03 Other: lowing locations: On public right of way/	lesement	
PART IWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height	on the senting wall is to be constructed on the senting wall is to be constructed on the senting wall in the senting wall wall in the senting wall in the senting wall in the senting wall wall in the senting wall wall wall wall wall wall wall wal	VIDEXTEND/ADDITION O2 Septic O2 Well NG WALL Instructed on one of the following application, that the en-	03 Other: 03 Other: lowing locations: On public right of way/	lesement	
PART TWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height feet 2 3B. Indicate whether the fence or n On party line/property line I hereby certify that I have the author approved by all agencies listed and	on Summer of the	VIDEXTEND/ADDITION O2 Septic O2 Well NG WALL Instructed on one of the following application, that the en-	03 Other: 03 Other: lowing locations: On public right of way/	lesement	
PART IWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height	on Some was a construction of Some was construction on Some was construction on Some was constructed and the some was constructed an	VIDEXTEND/ADDITION O2 Septic O2 Well NG WALL Instructed on one of the following application, that the en-	03 Other: 03 Other: lowing locations: On public right of way/	lesement	
PART TWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height feet 2 3B. Indicate whether the fence or n On party line/property line I hereby certify that I have the author approved by all agencies listed and	on Summer of the	NO EXTEND/ADDITION O2 Septic O2 Wefl NG WALL Instructed on one of the following application, that the application accept this to be a continuous service.	03 Other: 03 Other: lowing locations: On public right of way/	the construction will s permit.	
PART TWO: COMPLETE FOR N 2A. Type of sewage disposal: 2B. Type of water supply: PART THREE: COMPLETE ONLY 3A. Height feet 3B. Indicate whether the fence or n On party line/property line I hereby certify that I have the author approved by all agencies listed and Signature of ow	on Summer of the	NO EXTEND/ADDITION O2 Septic O2 Wefl NG WALL Instructed on one of the following application, that the application accept this to be a continuous service.	03 Other: 03 Other: lowing locations: On public right of way/ plication is correct, and that addition for the issuance of th	the construction will s permit.	

SEE REVERSE SIDE FOR INSTRUCTIONS



Edit 6/21/99

HISTORIC PRESERVATION COMMISSION 301/563-3400

PHASE 1

APPLICATION FOR HISTORIC AREA WORK PERMIT

	- In Dec
· •	Daytime Phone No.: 301-9074535 X113
Tex Account No.: 00494874	
Name of Property Owner HANWAY TIMOTY & CHERYL	_ Daytime Phone No.: <u>240-743-4577</u>
Address 7827 HOMPDEN LANE BETHE Street Number City	SDA HARYLAND 20814
Contraction: AUTHONY WILDE DESIGN BULL	
Contractor Registration No.: #125753	Phone No.: 501 507 0 100
Agent for Owner: MARIA FANUL	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Agent to Owner. PIACIN TIME	Usytame Phone No.: 301-4074555X13
OPATION OF BUILDING PREMISE	
	HAMPDEN LANE
Town/City: BETHESDA Nearest Cross Street	
Lot: 16 Block: U Subdivision: 0026	2
Liber: Parcel: Parcel:	
PART ONE: TYPE OF PERMIT ACTION AND USE	
1A. CHECK ALL APPLICABLE: CHECK ALL	APPLICABLE:
H	☐ Slab ☐ Room Addition ☐ Porch ☐ Deck ☐ Shed
☐ Move ☐ Instali ☐ Wreck/Raze ☐ Solar	☐ Fireplace ☐ Woodburning Stove ☐ Single Family
. 	Wall (complete Section 4) Other: FROUT STEPS REPAIR
1B. Construction cost estimate: \$ 30,000	
1C. If this is a revision of a previously approved active permit, see Permit #	
PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITI	
2A. Type of sewage disposal: 01 🔀 WSSC 02 🗋 Septic	03 🗋 Other:
2B. Type of water supply: 01 ♥WSSC 02 □ Weil	03
PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL	
3A. Height 5 feet 0 inches	
3B. Indicate whether the fence or retaining wall is to be constructed on one of the fi	ollowing locations:
On party line/property line Efficiely on land of owner	On public right of way/easement
l hereby certify that I have the authority to make the foregoing application, that the a approved by all agencies listed and I hereby ackgrowledge and accept this to be a c	application is correct, and that the construction will comply with plans condition for the issuance of this permit.
	9/20/2011
Signature of owner or but better agent	Date .
Approved: \$\infty 80 26 L \sqrt{Fig Cheiro}	hydron Wistoria Americania Commission
Disapproved: Signature: 4MM	erson, Historic Preservation Commission
	Centre 19/27/11
Application/Permit No.: Date Fi	Orte Issued:

SEE REVERSE SIDE FOR INSTRUCTIONS

MONTGOMERY COUNTY HISTORIC PRESERVATION COMMISSION STAFF REPORT

Address: 7827 Hampden Lane, Bethesda

Meeting Date: 10/12/11

Applicant:

Timothy Hanway and Cheryl Edleson-Hanway

Report Date: 10/5/11

Resource:

Contributing Resource

Greenwich Forest Historic District

Public Notice: 9/28/11

Review:

HAWP

Tax Credit:

None

Case Number: 35/165-11C

Staff:

Anne Fothergill

PROPOSAL:

Alterations to hardscape, fencing, and front portico

STAFF RECOMMENDATION

Staff recommends that the HPC approve the HAWP application:

PROPERTY DESCRIPTION

SIGNIFICANCE:

Contributing Resource in the Greenwich Forest Historic District

STYLE:

Colonial Revival

DATE:

1935

PROPOSAL

The applicants propose to remove the front steps and flagstone path leading from the house to the street. They will construct new stairs that will be located three feet south of the existing stairs and the materials will be brick and flagstone to match the existing materials. They will remove a light post and stone retaining wall that were damaged by a tree that fell in the front yard. They also propose to relocate the existing wood fence that is currently across the back yard to the end of the driveway at the rear right corner of the house and extend across to the shed.

In a second phase of construction, the applicants propose to remove the existing front portico and construct a larger front portico. The new portico will have a copper roof, 12" columns and pilasters, open wood panels on the sides, and wrought iron railings on the stairs that lead to a new flagstone patio. They will replace the non-original front door with a wood paneled door and sidelights. They will construct an additional flagstone walkway from the stairs to the street and two 20" tall stone retaining walls off the stairs. There will be a new flagstone path that will go around the left side of the house to the existing wood fence gate. At the rear of the house they propose to replace the existing flagstone and concrete rear patios with a flagstone patio over stone dust and there will be a 20" tall retaining wall around the new rear patio.

APPLICABLE GUIDELINES

When reviewing alterations within the Greenwich Forest Historic District the Greenwich Forest Historic District Design Guidelines (Guidelines) are to be utilized to assist the Commission in developing their decision. Projects will be approved unless they are found to be "inappropriate, inconsistent with or detrimental to the preservation, enhancement or ultimate protection of the historic site or historic resource within an historic district, and to the purposes of this chapter" (Chapter 24A-8(a)). The County Council has charged the Commission with using Greenwich Forest's district specific guidelines to make the determination. The Guidelines are available on-line at http://www.montgomeryplanning.org/historic/greenwichanimalhiggins/
The pertinent information is outlined below.

Greenwich Forest Historic District Guidelines (see Circles 29-41):

Moderate scrutiny is a higher level of review than limited scrutiny and adds consideration of the preservation of the property to the requirements of limited scrutiny. Alterations should be designed so the altered structure does not detract from the fabric of Greenwich Forest while affording homeowners reasonable flexibility. Use of compatible new materials or materials that replicate the original, rather than original building materials, should be permitted. Planned changes should be compatible with the structure's existing architectural designs.

Strict scrutiny is the highest level of review. It adds consideration of the integrity and preservation of significant architectural or landscape features and details to the requirements of the limited and moderate scrutiny levels. Changes may be permitted if, after careful review, they do not significantly compromise the original features of the structure or landscape.

D9: Fences and walls: Fences were not part of the original Greenwich Forest streetscape. No front yard fences have been added since then, though some homeowners have added backyard fences and/or fences along side yard property lines. To preserve the uninterrupted green space adjacent to the public right-of-way, front fences are not allowed. To enable the creation of enclosed yards for residents, fences up to 6'6" tall are permitted in back and side yards. In the case of side yards, fences may extend up to just behind the front plane of the house, preserving at least a 3' setback from the façade. Fence style and material should be in keeping with the architectural style of the house and the forest surroundings.

D10: **Porches:** The addition of front porches is permitted if they are compatible with the architectural style of the house. Enclosures of existing side and rear porches have occurred throughout Greenwich Forest and they are permitted, subject to the decision-making body's review of the work permit, to ensure that they are compatibly designed.

If visible from right-of-way, porches are reviewed with strict scrutiny.

D16: Walkways and patios: Reconfiguration and replacement of existing pathways and patios that would not result in a net addition of impermeable hardscape surfaces are considered landscaping and do not require an application for a work permit. The installation of new walkways and patios requires a work permit and should minimize the creation of new impermeable hardscape surfaces (see Principle 1).

STAFF DISCUSSION

As the noted above, the *Greenwich Forest Design Guidelines* allow changes to the front façade of a contributing resource including the construction of new front porches but the proposed changes are to be

"compatible with the structure's existing architectural designs" and "does not significantly compromise the original features of the structure or landscape." The proposed hardscape changes and other proposed alterations are also compatible with the house and historic district.

STAFF RECOMMENDATION

Staff finds that the proposal is consistent with the *Greenwich Forest Historic District Design Guidelines*. Staff recommends that the Commission <u>approve</u> the HAWP application under the Criteria for Issuance in Chapter 24A-8(b), having found that the proposal is consistent with the Greenwich Forest Historic District Design Guidelines, and therefore compatible in character with the district and the purposes of Chapter 24A;

and with the general condition that the applicant shall present the 3 permit sets of drawings, if applicable, to Historic Preservation Commission (HPC) staff for review and stamping prior to submission for the Montgomery County Department of Permitting Services (DPS) building permits;

and with the general condition that the applicant shall notify the Historic Preservation Staff if they propose to make **any alterations** to the approved plans. Once the work is completed the applicant will <u>contact the staff person</u> assigned to this application at 301-563-3400 or anne.fothergill@montgomeryplanning.org to schedule a follow-up site visit.

DPS - #8





HISTORIC PRESERVATION COMMISSION 301/563-3400

PHASE 1

APPLICATION FOR HISTORIC AREA WORK PERMIT

	Contact Person: NATHA FANDOC
	Daytime Phone No.: 301-907-4535 X1\3
Tax Account No.: 00494874	- ·
Name of Property Owner HANWAY TIMOTY & CHEZYL	Daytime Phone No.: 240-743-4577
Address 7827 HOMPDEN LANE BETHES Street Number City	DA MARYLAND ZOSI4 Steel Zip Code
Contractor: AUTHOUY WILDE DESIGN BULL	Phone No.: 301 907 0100
Contractor Registration No. #125753	
Agant for Owner: MARIA FANJUL	Daytime Phone No.: 301-9074535 X 113
LOCATION OF BUILDING/PREMISE	
House Number: <u>7827</u> Street	HAMPDEN LANE
Town/City: BETHESDA Nearest Cross Street	
Lot: 16 Block: U Subdivision: 0026	
Liber: Folio: Parcel:	·····
PARY ONE: TYPE OF PERMIT ACTION AND USE	
1A. CHECK ALL APPLICABLE: CHECK ALL A	PPLICABLE:
	Slab Room Addition Porch Deck Shed
•	Fireplace
	# (complete Section 4) DOTHER FRONT STERS REPAIR
18. Construction cost estimate: \$ 30,000	
1C. If this is a revision of a previously approved active permit, see Permit #	
PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITION	
2A. Type of sewage disposal: 01 ☒ WSSC 02 ☐ Septic	03 🗆 Other:
2B. Type of water supply: 01 WSSC 02 Well	03
, , ,	
PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL	·
3A. Height 5 feet onches	e de la company
3B. Indicate whether the fence or retaining wall is to be constructed on one of the foll Gn party line/property line Entirely on land of owner	<u> </u>
Griparty interpretations was critically on tario or dwiner	On public right of way/easement
I hereby certify that I have the authority to make the foregoing application, that the ap approved by all agencies listed and I hereby acknowledge and accept this to be a considerable of the second	
Approved:For Chairper	rson, Historic Preservation Commission
Disapproved: Signature:	

HAWP APPLICATION: MAILING ADDRESSES FOR NOTIFING [Owner, Owner's Agent, Adjacent and Confronting Property Owners]

Owner's mailing address	Owner's Agent's mailing address
THOTHY & CHERYL HADWAY	ADMY WILLER DESIGN BULLD
JOHN GORMAN FSST	7913 MACARTHUR BOULEVARD
BETHESDA, MD 20814	CABIN JOHN, MD 20818
Adjacent and confronting	Property Owners mailing addresses
NATHAN DAVID	HENDLER CLIFFORD
5615 MIDWOOD ROAD.	1813 HAMPDEN JANE
BETHEODA, MD 20814	BETHESDA, Mb 20814
WALL POSSELL	05011NIK CAROLYN
5609 MIDWOOD ROAD	7834 HAMPDEN LANE
BETHESDA, MD 20814	BETHESDA, MD 20814
JESSEN JOHN	WORTHINGTON SAMUEL
DAOS MIDWOOD ROAD	7830 HAMPDEN LANE
BETHESDA, MD 20814	BETHESDA, MD 20814

O' PREY KEUIN É HAREN BREWER LY NUXOOD 7821 HAMPDED HAVE BETHESDA, MD 20814

4828 HAMPDEN JANE BETTESDA, MD 20814

PMASE I

WRITTEN DESCRIPTION OF PROJECT

a. Description of existing structure(s) and environmental setting, including their historical features and significance:

The existing house is a Colonial Revival style house. It is located on a deeply sloped site at a corner lot with many tall trees.


There is a front flagstone path, a stone retaining wall and a flagstone stairs that was recently damaged by a big tree that fell at the entrance of the house. The main structure of the house was not damaged.


- b. General description of project and its effects on the historic resource(s), the environmental setting, and, where applicable, the historic district:
 - 1.We are proposing to demolish and rebuild the damaged front steps and flagstone path. The location of the rebuilt stairs will be three feet south of the original location in order to center the new stairs with the existing main front door with the purpose of keeping the symmetry of the house Materials used will be brick and flagstone to match original construction.
 - 2. Relocate existing wood fence next to existing driveway entrance door at rear of house. Fence will be entirely on land of owner.



7827 Hampden Lane - Bethesda

HISTORIC AREA WORK PERMIT APPLICATION Written Project Description





ADDITION TO GREENWICH FOREST

PLAT BOOK 8 PLAT 621

MONTGOMERY COUNTY, MARYLAND

CHECKED BY

DRAMNG I OF 1





ENGINEERS, SURVEYORS AND PLANNERS


3331 TOLEDO TERRACE, SUITE 105


HYATTSVILLE, MD. 20782

TEL: (301) 559-0100 FAX: (301) 559-1700










Cheryl and Tim Hanway Residence 7827 Hampden Lane Bethesda Maryland



FRONT STAIRS

Damage on right side of stairs was caused by a tree that fell recentently. Stairs is not center with front door.



FRONT STAIRS

Damage on right side of stairs. This picture shows original tree location and damage around retaining wall




7827 Hampden Lane - Bethesda

HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions



SCALE: NTS



DAMAGE FROM TOP LANDING




FRONT ENTRANCE.



HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions





EXISTING WOOD FENCE TO BE RELOCATED



PROPOSED LOCATION OF RELOCATED FENCE



HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions



PHASE IT

WRITTEN DESCRIPTION OF PROJECT

a. Description of existing structure(s) and environmental setting, including their historical features and significance:

The existing house is a Colonial Revival style house. It is located on a deeply sloped site at a corner lot with many tall trees.

At the front elevation there is a front portico with a flagstone stoop. There is also a top landing of flagstone and grass.

At the rear elevation, driveway entrance, there is a large flagstone and concrete patio with a wood fence.

- b. General description of project and its effects on the historic resource(s), the environmental setting, and, where applicable, the historic district:
 - 1.Front Elevation

Create a bigger front portico and hardscape seating area following the existing topographic contours of the site.

This proposed portico will replace an existing small portico witch does not meet its purpose, since it does not provide a covered entrance, nor communicate clearly where the main entrance of the house is.

The proposed portico and hardscape surface will improve the curb appeal of the house preserving the Colonial Revival style.


- Classical detailing
- Symmetrical facade
- Brick, wood, and stone surfaces
- Paneled door and sidelights
- 2. Rear elevation Driveway Entrance


Replace and reshape existing rear harscape flagstone/concrete surface with flagstone. Existing exterior rear patio level will be modified in order to avoid constant flooding experienced by current residents.




7827 Hampden Lane - Bethesda

HISTORIC AREA WORK PERMIT APPLICATION
Written Project Description









. Bethesda . Maryland Cheryl and Tim Hanway Residence Hampden Lane 7827


Ac 25 2011



7827 Hampden Lane Bethesda Maryland



Cheryl and Tim Hanway Residence 7827 Hampden Lane . Bethesda . Maryland



72

Cheryl and Tim Hanway Residence 7827 Hampden Lane . Bethesda . Maryland



FRONT WALKWAY (damaged flagstone)



FRONT PORTICO



HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions



SCALE: NTS DATE: 09-21-11



FRONT LANDING




FRONT PORTICO



HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions



SCALE: NTS



EXISTING CONCRETE REAR PATIO



EXISTING CONCRETE REAR PATIO




HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions



SCALE: NTS



SIDE FLAGSTONE PATIO FROM FAMILY RM




STEPS TO FAMILY ROOM - FLOODING PROBLEMS



HISTORIC AREA WORK PERMIT APPLICATION Photographs Existing conditions



SCALE: NTS









(c) Copyright 2008, Pictometry International

Greenwich Forest Historic District Guidelines

The following Principles and Guidelines concern additions, renovations, replacement of houses, and more specific elements of the Greenwich Forest streetscape. These Principles and Guidelines provide specific direction to the Historic Preservation Commission (hereafter the decision-making body) for reviewing work permits within the Greenwich Forest Historic District. (Italicized terms are defined in section B.) Permits that conform to these Principles and Guidelines are compatible in character with the district and the purposes of Montgomery County Historic Resources Preservation law. Any work permit sought for any situation not specifically covered by these Principles and Guidelines shall be deemed to have an insignificant effect on the historic resource and must be approved by the decision-making body.

The residents of the Greenwich Forest Historic District may submit to the County Council requests for amendments to these guidelines, if two-thirds of the households in the district approve the amendment, with each household casting one vote approve the amendment.

A. PRINCIPLES

The preservation of the following essential elements of Greenwich Forest is the highest priority in making decisions concerning applications for *work permits*. These Principles are not meant to stop or create unreasonable obstacles to normal maintenance, reasonable modifications, and the evolving needs of residents.

- A1. Greenwich Forest was conceived of, built, and to a great degree preserved as a park-like canopied forest with gentle topographic contours, in which the presence of houses and hardscape are understated relative to the natural setting. The removal of mature trees and the significant alteration of topographic contours on private property, the *Greenwich Forest Triangle*, and the public right-of-way in Greenwich Forest should be avoided whenever possible. The Greenwich Forest Citizens Association (GFCA) will continue to support the replacement of trees. In order to protect mature trees and the natural setting of Greenwich Forest, and to limit runoff into the Chesapeake Bay, the creation of extensive new impermeable hardscape surfaces should be avoided whenever possible.
- A2. The houses in Greenwich Forest create an integrated fabric well-suited to its forest setting. These Guidelines are intended to preserve this environment by ensuring that approved work permits include appropriate safeguards that protect the following three essential elements of this fabric:
 - a. An array of revival American *architectural styles* that, taken together, make a significant statement on the evolution of suburban building styles (see Appendix 2).
 - b. The *scale and spacing* of houses and their *placement* relative to adjacent houses and the public right-of-way. The original developers made decisions on these

The Montgomery County Council approved Resolution 17-187, which added the Greenwich Forest Historic District to the Master Plan for Historic Preservation and included the Greenwich Forest Historic District Guidelines for the evaluation of Historic Area Work Permits.

three elements to understate the presence of structures relative to the forest. For example, minimum side setbacks at the time were 7' but placement and spacing produced distances between houses that far exceeded the minimum 14'. Additions and new houses have, in almost all cases, preserved generous space between houses and minimized visual crowding with plantings.

- c. High quality building materials and high level of craftsmanship.
- A3. The neighborhood needs to evolve to meet the needs of its residents while maintaining the charm and architectural integrity that have been maintained since the 1930s. Introducing new *architectural styles* that are not already present in the neighborhood will detract from its integrated fabric.
- A4. A contributing house may not be torn down and replaced unless there is significant/extensive damage that would create an undue hardship to preserve the original structure (see D2). Extreme damage like this may be the result of a fallen tree, fire, flood, other natural disaster, or accident.
- A5. A *non-contributing house* may be torn down and replaced as long as the *replacement* house replicates the *architectural style* of its predecessor or the style of one of the contributing houses in Greenwich Forest (see Appendix 2).

B. BALANCING PRESERVATION AND FLEXIBILITY

Greenwich Forest represents a period in the evolution of Montgomery County worthy of preservation, but it has also changed in response to the needs of residents since it was created in the 1930s. These Guidelines seek a reasonable compromise between preservation and the needs of residents in several ways.

- B1. Most of the houses in the Greenwich Forest Historic District are designated "contributing" because they contribute to the architectural and historic nature of the district. Contributing structures are shown in the map of the districts. These Guidelines are more specific for contributing structures.
- B2. Other houses in the district are designated *non-contributing* either because (1) they were built more recently than *contributing houses* with other *architectural styles* (see Appendix 3) or (2) their original features have been significantly altered by subsequent modifications. *Non-contributing structures* are shown on the map of the District. The Guidelines provide greater flexibility for owners of *non-contributing houses*.
- B3. These Guidelines reflect the reality that nearly all houses in Greenwich Forest have been modified since their construction. Owners are not expected to return their houses to their original configurations. The modifications they are permitted to make under these Guidelines are based on the current reality in the neighborhood, provided that those modifications are consistent with the Principles in these Guidelines.

B4. Property owners have additional flexibility under these Guidelines to make more extensive changes to the parts of their houses that are less visible from the public rights-of-way in front of their houses. The Guidelines accomplish this by stipulating different levels of review for specific elements on different parts of houses.

Appendix 1 summarizes how these Guidelines apply the different levels of review to contributing and non-contributing properties.

DEFINITIONS

In these guidelines, the following terms have the meanings indicated:

Addition means any permanent extension to an existing house.

Architectural styles means the range of styles represented by the contributing houses in the Greenwich Forest Historic District. As a point of reference, the architectural styles of the contributing houses are illustrated in "Greenwich Forest: Three Quarters of a Century" and the Visual Guidelines to Greenwich Forest. See Appendix 3 for a list of the architectural styles of the contributing houses present in the proposed Greenwich Forest Historic District.

Contributing house, property or structure means a house and associated structures and lot that were part of the Cafritz development era of Greenwich Forest (1929-49; see map, Appendix 1). Individual structures on a property can be contributing or non-contributing, and these are shown in different colors in Appendix 1. If the main house on a property is contributing, the entire property is considered contributing. These properties contribute to the integrated fabric of the neighborhood.

Decision-making body means the Historic Preservation Commission which has the authority to accept, reject, or modify applications for **work permits** in the Greenwich Forest Historic District.

Demolition (also known as 'tear-down') means the removal of more than 50% of the existing perimeter walls or any significant alteration of the original front elevation.

Front elevation or façade means the view of the main portion of a house, not including side porches, from the public right-of-way facing the front door.

Greenwich Forest Triangle means the triangular park at the intersection of Hampden Lane and Overhill Road.

Levels of review means the nature of review applicable to a proposed modification. The three levels of review are:

Limited scrutiny is the least rigorous level of review. With this level, the scope or criteria used in the review of applications for work permits is more limited and emphasizes the overall structure rather than materials and architectural details. The decision-making body should base its review on maintaining compatibility with the

design, texture, *scale*, *spacing and placement* of surrounding houses and the impact of the proposed change on the streetscape.

- ☐ Moderate scrutiny is a higher level of review than limited scrutiny and adds consideration of the preservation of the property to the requirements of limited scrutiny. Alterations should be designed so the altered structure does not detract from the fabric of Greenwich Forest while affording homeowners reasonable flexibility. Use of compatible new materials or materials that replicate the original, rather than original building materials, should be permitted. Planned changes should be compatible with the structure's existing architectural designs.
- □ Strict scrutiny is the highest level of review. It adds consideration of the integrity and preservation of significant architectural or landscape features and details to the requirements of the *limited* and *moderate scrutiny* levels. Changes may be permitted if, after careful review, they do not significantly compromise the original features of the structure or landscape.

Non-contributing house, property or structure means a house and its associated lot and structures that were constructed after 1949 (see map). If the main house on a property is non-contributing, the entire property is non-contributing. The term also means a house that was constructed during the period of historic significance (1929-1949) but either: (1) did not follow one of the main architectural styles used during the Cafritz era; or (2) no longer retains sufficient integrity because substantial alterations or additions render it unrepresentative of the original period.

Replacement means the construction of a new house following any allowable demolition.

Scale, spacing, and placement means the overall appearance of a house relative to adjacent houses and as part of the streetscape as viewed from the public right-of-way in front of the house. It reflects the footprint and height of the house and its position on the property.

Work permit means a historic area work permit required for all modifications to houses and property within the Greenwich Forest Historic District.

Visible from public right-of-way means the portions of a house that are part of the streetscape viewed facing the front elevation.

D. MAJOR GUIDELINES

- D1. Changes to architectural style: Changes to the façades of contributing houses and additions thereto are permitted if the new front elevation: (1) is consistent with a style of another contributing house (see Appendix 3); and (2) is suitable to and does not significantly alter the original outline, shape and scale of the original structure.
- D2. **Demolition:** Demolition and replacement of contributing houses is prohibited, except in cases of catastrophic damage by natural causes or accidents that would cause an undue

hardship to repair the house. Demolition of non-contributing houses is acceptable under any circumstances, but any replacement structure must follow the Guidelines specified below.

- D3. Replacement: A contributing house that is demolished due to catastrophic damage by natural causes or accidents may be replaced by a house that is consistent with: (1) the height of the ridge line of the original house, and (2) the architectural style of a contributing house. Additions that are consistent with these Guidelines can be included in the construction of a replacement house. Non-contributing houses that are demolished may be replaced with a house having an architectural style and scale that is consistent with its predecessor or with a house that is compatible in architectural style and scale with a contributing house (see Principles and Appendix 3).
- D4. Additions: Additions to contributing and non-contributing houses are allowed. The style of an addition must be compatible and in keeping with the prevailing styles of that house. The style of the addition must be compatible with the style of the original house, unless the owner wishes to change the architectural style of both the house and addition to another style of a contributing house in Greenwich Forest (see Changes to architectural style, below). Additions to contributing houses must preserve as a recognizable entity the outline of the original house (not including subsequent additions). Side additions to contributing houses are allowed, but the limits of the original façade must be demarcated by stepping back the front plane of the addition and by a change in the addition's roofline. Rear additions to contributing houses are allowed within limitations on height and setbacks (see D5).
- O5. Guidelines on dimensions: The total lot coverage of a house may not exceed 25% of the lot area, and accessory buildings may not exceed 5% of the lot area. The area of an accessory building may be increased by 2%, to 7% of total lot coverage, if the lot coverage of the house and the accessory buildings added together does not exceed 30% of lot area.

Additions should try to preserve ample spacing between houses (see Principle 2b). For example, visual crowding between houses could be minimized by: placing an addition toward the back of a property; placing an addition on the side of a property with greater distance to the adjacent house (especially when a side lot abuts the rear setback of an adjacent corner house); or by screening additions with plantings. The total of the two side lot setbacks must be at least 18', with no less than 7' on one side. Rear lot setbacks must be at least 25', though decks no higher than 3' from the ground may extend to an 11' setback.

The elevation of the main or predominant ridgeline(s) of a *contributing house* as viewed from the front may not be increased. To avoid excessive increases in the visual mass of houses, the elevation of any separate ridgelines of an addition to the rear of the house may not be more than 3' above that of the main ridge line.

D6. Subdivision of lots: Greenwich Forest is zoned R-90. The Historic Preservation Commission must oppose subdivisions which propose lots smaller than 9,000 square feet or the construction of a second house on a single lot.

GUIDELINES FOR SPECIFIC ELEMENTS

- D7. **Building materials:** Replacement of roofs, siding, and trim with original materials is strongly recommended and is considered maintenance that will not require an application for a work permit. Use of non-original "like materials" such as architectural asphalt shingles requires a work permit to ensure that they match the scale, texture, and detail of the original materials and are consistent with the overall design of the existing house. For example, homeowners wishing to replace slate or tile roofs may use alternative materials that match the scale, texture, and detail of the roof being replaced. If an original slate or tile roof had been replaced with non-original material before July 1, 2011, the homeowner may replace the existing roof in kind or with another material consistent with the architectural style of that house.
- D8. Driveways and parking areas: Replacement or minor reconfiguration of existing driveways is permitted without an application for a work permit. Proposals to install new driveways and parking areas require work permits. They should minimize new hardscape areas (see Principle 1) and should not interrupt the setting visible from the public right-of-way. Installation of circular driveways is prohibited.
- D9. Fences and walls: Fences were not part of the original Greenwich Forest streetscape. No front yard fences have been added since then, though some homeowners have added backyard fences and/or fences along side yard property lines. To preserve the uninterrupted green space adjacent to the public right-of-way, front fences are not allowed. To enable the creation of enclosed yards for residents, fences up to 6'6" tall are permitted in back and side yards. In the case of side yards, fences may extend up to just behind the front plane of the house, preserving at least a 3' setback from the facade. Fence style and material should be in keeping with the architectural style of the house and the forest surroundings. Properties confronting Wilson Lane merit special consideration due to heavy traffic volumes. Construction of fences or walls is permitted on these properties, with review, in order to help ensure the safety and privacy of residents and the safety of drivers and neighbors. The decision-making body is directed to show flexibility in reviewing applications for work permits for such fences and walls.
- D10. **Porches:** The addition of front porches is permitted if they are compatible with the architectural style of the house. Enclosures of existing side and rear porches have occurred throughout Greenwich Forest and they are permitted, subject to the decision-making body's review of the work permit, to ensure that they are compatibly designed.
- D11. Runoff control: Proposals for work permits should consider rainwater runoff problems that may be created by additions and other property and structural alterations. Solutions to these problems should protect trees and maximize the on-property control of this runoff by drainage fields, installation of permeable rather than impermeable surfaces, and

other available means.

- D12. Satellite dishes visible from the public right-of-way are not permitted. Satellite dishes that are placed so that they are not visible from the public right-of-way are permitted, subject to the decision-making body's review, to ensure that they are not visible from the public right-of-way.
- D13. **Skylights** on forward-facing roof surfaces are not permitted. Skylights on non-forward-facing roof surfaces are permitted, subject to the decision-making body's review, to ensure that they are not visible from the public right-of-way.
- D14. Solar panels are not permitted on forward-facing roof surfaces. Solar panels on non-forward-facing areas are permitted, subject to the decision-making body's review, to ensure that they are not visible from the public right-of-way. Solar panels on non-forward-facing roof surfaces should be of a type that blends with the existing materials, such as solar shingles rather than large solar panels.
- D15. Tree removal: The preservation of the large mature trees in Greenwich Forest is a high priority of these guidelines, but there are circumstances in which removal may be unavoidable. Trees smaller than 8" in diameter (measured at 5' height) may be removed without an application for a work permit. Larger trees may be removed without an application for a work permit if a certified arborist provides documentation to the decision-making body stating that the tree is dead, diseased, dying, or a hazard (e.g., a threat to public safety or the structural integrity of the house). Each tree removed for these reasons should be replaced by one tree in the manner described below.

In planning landscape modifications, additions, and replacement houses, homeowners may propose the removal of trees with diameters greater than 8" (measured at 5' height). If there is an obvious alternative siting that would avoid removal of mature trees, the application for a work permit should include a brief explanation of why that alternative was rejected. In such cases, the functional needs of the homeowner should be respected. If applications propose the removal of trees larger than 8" in diameter (measured at 5' height), the site plan for the proposed modification must include the installation of two replacement trees for each tree removed as a result of the modification. These proposals are subjected to strict scrutiny (see Appendix 1) to ensure that homeowners have not overlooked viable options that would avoid tree removal and that the plan for installing new trees adheres to the following guidelines. Each tree removed from the forest canopy must be replaced with two trees chosen from canopy species already established in the region (e.g., White Oak, Nuttall Oak, Scarlet Oak, Greenspire Linden, American Beech, Ash, and Tulip Poplar). If the forest canopy is well established over the site, one of the two replacement trees can be chosen from an understory species that is already established in the region (October Glory Red Maple, Red Sunset Red Maple, Black Gum, and Sycamore.) Ornamental trees such as American Dogwood, Serviceberry or Amelanchier, and Eastern Redbud are native and desirable plantings, but they cannot be counted as replacement trees because they do not contribute to the canopy.

- D16. Walkways and patios: Reconfiguration and replacement of existing pathways and patios that would not result in a net addition of impermeable hardscape surfaces are considered landscaping and do not require an application for a work permit. The installation of new walkways and patios requires a work permit and should minimize the creation of new impermeable hardscape surfaces (see Principle 1).
- D17. Windows, dormers, & doors: Door and window replacements are acceptable, as long as the replacements are compatible with the architectural style of the house. Replacement windows with true or simulated divided lights are acceptable, but removable ('snap-in') muntins are not permitted on front-facing windows of contributing houses. Front-facing dormer additions to third floors are permitted on non-contributing houses and on contributing houses, if such additions do not involve raising the main roof ridge line (as specified in D5) and if the addition is compatible in scale, proportion, and architectural style of the original house.

Appendix 1A. Levels of Review Applicable to Contributing Properties

	Work Permit Required?	Limited scrutiny	Moderate Scrutiny	Strict Scrutiny
Additions	Yes	·	Rear additions and non- forward-facing portions of side additions	Front-facing portions of additions that extend beyond the sides of the existing structure
Replacement of houses	Yes		udditions	X
Changes to architectural style	Yes			X
Guidelines on dimensions	· Yes			X
Building materials	Yes		X	,
Driveways and parking areas	Yes, except for replacement or minor reconfiguration		X	
Fences	Yes		X	
Porches	Yes		If not visible from right-of- way	If visible from right- of-way
Runoff control	Yes			X
Satellite dishes	Yes	To confirm that installation is not visible from right-of-way		
Skylights	Yes	To confirm that installation is not visible from right-of-way		
Solar panels	Yes	To confirm that installation is not visible from right-of-way		
Tree removal	Yes		· · · · ·	X
Walkways and patios	No for replacement or minor reconfiguration	Review of runoff control only		
Windows, dormers, and doors	Yes	If not visible from right-of- way		If visible from right- of-way
Interior modifications	No			
Routine maintenance	No		. :	

Appendix 1B. Levels of Review Applicable to Non-contributing Properties

	Work Permit Required?	Limited scrutiny	Moderate Scrutiny	Strict Scrutiny	
Additions	Yes	X		_	
Replacement of houses	Yes		X		
Changes to architectural style	Yes	X			
Guidelines on dimensions	Yes			X	
Building materials	Yes	X			
Driveways and parking areas	Yes, except for replacement or minor reconfiguration		X		
Fences	Yes		X		
Porches	Yes	If not visible from right-of-way	If visible from right-of-way		
Runoff control	Yes			. X	
Satellite dishes	Yes	To confirm that installation is not visible from right-of-way			
Skylights	Yes	To confirm that installation is not visible from right-of-way			
Solar panels	Yes	To confirm that installation is not visible from right-of-way			
Tree removal	Yes			X	
Walkways and patios	Not for Replacement or minor reconfiguration Yes for new installations	Review of runoff control only			
Windows, dormers, and doors	Yes	х	-		
Interior modifications	No				
Routine maintenance	No		4		

Appendix 2. Architectural Styles Represented by Contributing Houses in the Greenwich Forest Historic District

In Greenwich Forest, most of the houses are designed in Colonial Revival and Tudor Revival styles of architecture, with two houses, one demolished, designed in French Eclectic architecture. All of these houses share common materials, such as slate roofs, and an attention to scale, proportion, and architectural detail that unifies the distinctly different architectural styles. These styles also complement each other through thematic elements, such as dormers breaking the gutter line. The revival styles found in Greenwich Forest were part of a national movement which revived pure examples of European and colonial architecture.

Colonial Revival:

The Colonial Revival houses in Greenwich Forest fall into different subcategories. These include Dutch Colonial, Cape Cod, Williamsburg Colonial, Georgian, Neoclassical, and several houses originally advertised as "Pennsylvania Farmhouses."

In these styles the houses are symmetrical, side gabled, three bays wide, with chimneys - in all but one case - located on the exterior ends of the houses, front doors accented with pediments and porticos, entries at the center or side, porches attached at the end as side wings, and details such as quoins, cornices, columns, and pilasters.

Tudor Revival:

Tudor houses draw on the characteristics of late medieval English houses. The Tudor houses in Greenwich Forest have steeply pitched roofs, half-timbering, arched brackets and hand hewn posts ornamenting the front door porches, tall casement windows, diamond paned lights, decorative brickwork, and weatherboard in the upper gable ends, chimney pots, and front dormers.

French Eclectic:

In Greenwich Forest this style is side gabled and distinguished by conical towers in the corner of the L shaped façade, large chimneys, casement windows, and shed dormers. The appearance brings to mind a house in Normandy, France.

Two additional resources provide information on the architecture of Greenwich Forest:

- "Greenwich Forest: Three Quarters of a Century" is a booklet that presents an introduction to the history and architecture of Greenwich Forest.
- Visual Guidelines to the architectural styles and streetscape were prepared by the Greenwich Forest Citizens Association. They were approved on 2 January 2007 as a component of a Voluntary Preservation Code.

Appendix 3: Inventory of Houses in Greenwich Forest

INVENTORY

In the following inventory, all resources have been considered either contributing or non-contributing based upon their association with the criteria for designation in the Master Plan for Historic Preservation in Montgomery County and based upon the period of significance that extends from circa 1929, the construction of the first houses in the neighborhood, through 1950, which captures the last significant phase of development in Greenwich Forest and the end of the Cafritz association with the neighborhood. Therefore, non-contributing resources were constructed after 1950. Additionally, if the resource was constructed within the period of significance but no longer retains sufficient integrity due to alterations and/or additions, it cannot represent the period and areas of significance and has been deemed a non-contributing resource.

Street Number	Street	Current Bldg Use	Style	Date ¹	Architect/Builder	District Status
7800	Hampden Lane	Dwelling	Tudor Revival	1934	Cafritz Construction Co.	С
					Alvin Aubinoe, Cafritz	
7801	Hampden Lane	Dwelling	Tudor Revival	1933	Company	С
7808	Hampden Lane	Dwelling	Colonial Revival	1964	Unknown	NC
7814	Hampden Lane	Dwelling	Tudor Revival	1934	Cafritz Construction Co.	C
7817	Hampden Lane	Dwelling	Dutch Colonial Revival	1935	Cafritz Construction Co.	С
7818	Hampden Lane	Dwelling	Tudor Revival	1934	Cafritz Construction Co.	С
7819	Hampden Lane	Dwelling	Tudor Revival	ca. 1935	Cafritz Construction Co.	C
7819	Hampden Lane	Outbuilding	Not visible		Unknown	NC
7820	Hampden Lane	Dwelling	Other	2007	Unknown	NC
7821	Hampden Lane	Dwelling	Colonial Revival	1935	Cafritz Construction Co.	С
7824	Hampden Lane	Dwelling	Tudor Revival	1934	Cafritz Construction Co.	С
7827	Hampden Lane	Dwelling	Colonial Revival	1935	Cafritz Construction Co.	C
7828	Hampden Lane	Dwelling	Colonial Revival	1935	Cafritz Construction Co.	С
7830	Hampden Lane	Dwelling	Colonial Revival	1935	Cafritz Construction Co.	С
7831	Hampden Lane	Dwelling	Neoclassical	1936	Cafritz Construction Co.	С
7831	Hampden Lane	Outbuilding	Not visible		Unknown	NC
7832	Hampden Lane	Dwelling	Colonial Revival	1935	Cafritz Construction Co.	С
7832	Hampden Lane	Garage	Other	ca. 1990	Unknown	NC
7834	Hampden Lane	Dwelling	Colonial Revival	ca. 1935	Cafritz Construction Co.	С
7835	Hampden Lane	Dwelling	Tudor Revival	1938	Cafritz Construction Co.	С
7836	Hampden Lane	Dwelling	Colonial Revival	1937	Cafritz Construction Co.	С
8000	Hampden Lane	Dwelling	Colonial Revival	1939	Cafritz Construction Co.	С
8004	Hampden Lane	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
8009	Hampden Lane	Dwelling	Colonial Revival	1937	Cafritz Construction Co.	С
8012	Hampden Lane	Dwelling	Tudor Revival	ca. 1941	Cafritz Construction Co.	С
8013	Hampden Lane	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	C

The dates of construction for the resources were determined from information found in the Washington Post pertaining to the Greenwich Forest development which often described a Greenwich Forest model house or advertised an identifiable house for sale. In addition, dates of construction were determined from a study of historic maps and plats, as well as an assessment of the resources' architectural style and form. Although current Montgomery County tax records for the resources were checked, often their information and dates of construction were found to be contradictory to that seen in the Washington Post and in relevant historic maps and plats for the area; therefore, they were not included in the following inventory except for resources constructed towards the end of the twentieth century and in the early twenty-first century.



Street Number	Street	Current Bldg Use	Style	Date ¹	Architect/Builder	District Status
8016	Hampden Lane	Dwelling	Colonial Revival	1938	Cafritz Construction Co.	C
8016	Hampden Lane	Garage	Other	ca. 1980	Unknown	NC
			Colonial Revival/Tudor			
8017	Hampden Lane	Dwelling	Revival	1939	Cafritz Construction Co.	C
8017	Hampden Lane	Outbuilding	Not visible		Unknown	NC
8020	Hampden Lane	Dwelling	Colonial Revival	1938	Cafritz Construction Co.	С
8020	Hampden Lane	Garage	Other	ca. 1990	Unknown	NC
8021	Hampden Lane	Dwelling	Tudor Revival	ca. 1941	Cafritz Construction Co.	С
8024	Hampden Lane	Dwelling	Colonial Revival	1939	Cafritz Construction Co.	С
8025	Hampden Lane	Dwelling	Colonial Revival	1939	Cafritz Construction Co.	С
					VTH Bien, architect; H.J.	
8100	Hampden Lane	Dwelling	French Eclectic	1949	Korzendorfer, builder	C .
8100	Hampden Lane	Shed	Not visible		Unknown	NC
5510	Lambeth Road	Dwelling	Other	2003	Unknown	NC
5511	Lambeth Road	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
5537	Lambeth Road	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
5601	Lambeth Road	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
5601	Lambeth Road	Outbuilding	Not visible		Unknown	NC
					Royal Barry Willis,	
5602	Lambeth Road	Dwelling	Colonial Revival	1939	Cafritz Co.	C
5625	Lambeth Road	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
5629	Lambeth Road	Dwelling	Tudor Revival	ca. 1941	Cafritz Construction Co.	С
			Dutch Colonial			
5633	Lambeth Road	Dwelling	Revival	1939	Cafritz Construction Co.	С
5633	Lambeth Road	Outbuilding	Not visible		Unknown	NC
5602	Midwood Road	Dwelling	Tudor Revival	1936	Cafritz Construction Co.	C
			Tudor Revival/			
5605	Midwood Road	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	NC
5606	Midwood Road	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	С
5609	Midwood Road	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	C
5615	Midwood Road	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	С
7803	Overhill Road	Dwelling	Tudor Revival	1937	Cafritz Construction Co.	С
7805	Overhill Road	Dwelling	Tudor Revival	ca. 1929	Unknown	С
7805	Overhill Road	Outbuilding	Not visible		Unknown	С
7815	Overhill Road	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
7818	Overhill Road	Dwelling	Colonial Revival	ca. 1929	Unknown	C
7818	Overhill Road	Outbuilding	Not visible	ca. 1931	Unknown	С
7819	Overhill Road	Dwelling	Tudor Revival	1936	Cafritz Construction Co.	С
7820	Overhill Road	Dwelling	Tudor Revival	ca. 1929	Unknown	С
7823	Overhill Road	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	С
7824	Overhill Road	Dwelling	Tudor Revival	1936	Cafritz Construction Co.	С
7825	Overhill Road	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	С
7825	Overhill Road	Outbuilding	Not visible		Unknown	NC
7826	Overhill Road	Dwelling	Colonial Revival	1938	Cafritz Construction Co.	С
			Colonial			
			Revival/ Tudor			
7827	Overhill Road	Dwelling	Revival	1936	Cafritz Construction Co.	С
8000	Overhill Road	Dwelling	Tudor Revival	1935	Alvin Aubinoe, Cafritz	C

Page 14

Street Number	Street	Current Bldg Use	Style	Date ¹	Architect/Builder	District Status
					Company	
8001	Overhill Road	Dwelling	Other	2009	Unknown	NC
8003	Overhill Road	Dwelling	Colonial Revival	ca. 1941	Cafritz Construction Co.	С
8003	Overhill Road	Outbuilding	Not visible		Unknown	NC
8000	Westover Road	Dwelling	Tudor Revival	ca. 1941	Cafritz Construction Co.	C
8004	Westover Road	Dwelling	Other	ca. 1997	Unknown	NC
8005 ·	Westover Road	Dwelling	Tudor Revival	ca. 1945	Unknown	C
8008	Westover Road	Dwelling	Modern Movement	ca, 1979	Unknown	NC ·
8009	Westover Road	Dwelling	Modern Movement	ca. 1949	Unknown	C
8012	Westover Road	Dwelling	Colonial Revival	ca. 1945	Unknown	С
8013	Westover Road	Dwelling	Other	ca. 1950	Unknown	NC
5507	Wilson Lane	Dwelling	Tudor Revival	1933	Cafritz Construction Co.	C
5509	Wilson Lane	Dwelling	Other	2007	Unknown	NC .
5602	York Lane	Dwelling	Tudor Revival	1936	Cafritz Construction Co.	С
5604	York Lane	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	С
5605	York Lane	Dwelling	Colonial Revival	1938	Cafritz Construction Co.	С
5605	York Lane	Outbuilding	Not visible		Unknown	NC
5606	York Lane	Dwelling	Colonial Revival	1936	Cafritz Construction Co.	С
5619	York Lane	Dwelling	Colonial Revival	1937	Cafritz Construction Co.	С
	n of Hampden verhill Road	Park	Other	1928 -		С
	n of Hampden verhill Road	Sign	Other	ca. 1933	Cafritz Construction Co.	С

C = Contributing Resource NC = Non-contributing Resource