\_\_37/3-96UU 4 Valley View Avenue \_\_\_ (Takoma Park Historic District) ☆

	ang sa sa sa sa g Managan sa ganarah ka sa f		
			***
T. 15 344 5341 4 1 1 5	 0451741	5 . 5	 

THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION
8787 Georgia Avenue • Silver Spring. Maryland 20910-3760

DATE:	12-2-96
-------	---------

#### **MEMORANDUM**

TO:

Robert Hubbard, Chief

Division of Development Services and Regulation Department of Environmental Protection (DEP)

FROM:

Gwen Marcus, Historic Preservation Coordinator

The Montgomery Historic Preservation Commission has reviewed the

Design, Zoning, and Preservation Division

M-NCPPC

SUBJECT: Historic Area Work Permit

attached application for a Historic Area Work Permit. The application was:

Approved

Approved Denied

Approved with Conditions:

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERANCE TO THE APPROVED HISTORIC AREA WORK PERMIT (HAWP).

Applicant: Pat & Great Holo baugh

Address: A Velley View Aug Takoma Park

\*\*\*THE APPLICANT MUST ARRANGE FOR A FIELD INSPECTION BY CALLING DEP/FIELD SERVICES (217-6240) FIVE DAYS PRIOR TO COMMENCEMENT OF WORK AND WITHIN TWO WEEKS FOLLOWING COMPLETION OF WORK.

### **Expedited Historic Preservation Commission Staff Report**

Address: 4 Valley View Avenue  Resource: Takoma Park Historic District		Meeting Date: 12/02/96  Public Notice: 11/18/96		
Review:	HAWP	Tax Credit: No		
Applicant:	Pat and Greg Holobaugh	Staff: Perry Kephart		
DATE OF SIGNIFICA	Individual <u>Master</u> Within a <u>Master</u> Outstanding ResContributing Res	r Plan Site Plan Historic District ource		
shake siding shed roof, o	g, front portico, square 4-light and ne-story kitchen section. (House om the original 1 1/2 story bungal	Craftsman 2 1/2 story, side gable cottage with cedar double-hung 6/1 windows. House has original rear is designated non-contributing because of a major ow to a 2 1/12 story Craftsman before creation of		
<ol> <li>replayed existing frame</li> <li>add over back decorate</li> </ol>	ne, new 16" x 72" transom window ( oor and window, and	ng project, applicant proposes to: w next to back door with double-hung window in with wood framing to match existing wood framing) es of the right wall of rear one-story section.		
RECOMM	2	onditions:		

Approval is based on the following criteria from Chapter 24A of the Montgomery County Code, Section 8(b): The commission shall instruct the director to issue a permit, or issue a permit subject to such conditions as are found to be necessary to insure conformity with the purposes and



requirements of this chapter, if it finds that: x 1. The proposal will not substantially alter the exterior features of an historic site, or historic resource within an historic district; or 2. The proposal is compatible in character and nature with the historical, archeological, architectural or cultural features of the historic site, or the historic district in which an historic resource is located and would not be detrimental thereto or to the achievement of the purposes of this chapter, or 3. The proposal would enhance or aid in the protection, preservation and public or private utilization of the historic site, or historic resource located within an historic district, in a manner compatible with the historical, archeological, architectural or cultural value of the historic site or historic district in which an historic resource is located, or 4. The proposal is necessary in order that unsafe conditions or health hazards be remedied; or 5. The proposal is necessary in order that the owner of the subject property not be deprived of reasonable use of the property or suffer undue hardship; or 6. In balancing the interests of the public in preserving the historic site, or historic resource located within an historic district, with the interests of the public from the use and benefit of the alternative proposal, the general public welfare is better served by granting the

permit.

Policy on use of Expedited Staff Reports for simple HAWP cases

This policy is developed with the understanding that:

5

I. the HPC's policy regarding in-kind replacements has not changed, that is - all replacement of exterior features with exactly matching materials may be done without a HAWP;

II. staff will continue to notify Local Advisory Panels (LAPs), and adjacent and confronting owners of all HAWP requests and, if a neighbor or the LAP is known to object to a proposal, then the Expedited Staff Report format will not be used;

III. if, because of the specifics of a case, staff is uncertain whether the Expedited Staff Report format is appropriate, or if an applicant requests it, then the standard report format shall be used;

IV. the Expedited Staff Report format may be used on the following type of cases:

- 1. Alterations to properties on which the Maryland Historical Trust (MHT) holds an easement and which have been reviewed and approved by the MHT Easement Committee.
- 2. Modifications to a property which do not significantly alter its visual character. These include, but are not limited to:
  - a repair or replacement of masonry foundations with new materials that match the original closely.
  - b. installation of vents, venting pipes, and exterior grills,
  - c. new installation of gutters.
- 4. Removal of asbestos, asphalt, or other artificial siding when the original siding is to be repaired, and (where necessary) replaced in kind.
- 5. Removal of accessory buildings which are not original to the site nor otherwise historically significant
- 6. Replacement of missing architectural details, provided that at least one example of the detail to be replaced exists on the house, and/or physical or documentary evidence exists which illustrates or describes the missing detail or details.
- 7 Signs which are in conformance with all other County sign regulations.

- 8. Construction of wooden decks which are at the rear of a structure and are not readily visible from a public right-of-way this applies to all categories of resources: outstanding, contributing, individually designated sites, etc.
- 9. Replacement of roofs on non-contributing/out-of-period buildings, as well as new installation of historic, appropriate roofing materials on outstanding and contributing buildings.
- 10. Installation of exterior storm windows and/or doors which are compatible with the historic site or district in terms of material, design, etc.
- 11. Construction of fences which are compatible with historic site or district in terms of material, height, location and design. Requests for fences higher than 48" to be located in the front yard of a property will not be reviewed through the Expedited Staff Report format.
- 12. Construction or replacement of walkways, parking areas, patios, driveways or other paved areas which are not readily visible from a public right-of-way and/or are compatible in material, location and design with the visual character of the historic site or district.
- 13. Construction or repair of retaining walls where the new walls are compatible in material, location, design and height with the visual character of the historic site or district.
- 14. Construction or replacement of storage and small accessory buildings which are not readily visible from a public right-of-way.
- 15 Landscaping, or the removal or modification of existing planting, which is compatible with the visual character of the historic site or district.

# APPLICATION OR HISTORIC AREA WORK PERMIT

	CONTACT PERSON 111 ( 1000 DAGG 17
TAX ACCOUNT # 1075658	DAYTIME TELEPHONE NO(301) 594-(077
NAME OF PROPERTY OWNER PAT HOLDBAUGH	DAYTIME TELEPHONE NO. (301) 594-1077
ADDRESS 4 VALLEY VIEW AVE TAKOM	A PARK MD 20912
	STATE ZP CODE  TELEPHONE NO. ( )
CONTRACTOR REGISTRATION NUMBER	
AGENT FOR OWNER	. DAYTIME TELEPHONE NO
LOCATION OF BUILDING/PREMISE  HOUSE NUMBER STREET VALLE	Y VIEW AVE
TOWNICITY TAKOMA PARIL	
LOT 46 BLOCK 87 SUBDIVISION HOLLIES 4	Anistra /
LIBER FOLIO PARCEL	
PART ONE: TYPE OF PERMIT ACTION AND USE	
Construct Extend Alter/Renovate Repair Move Porch	all (complete Section 4) Single Family Other
PART TWO: COMPLETE FOR NEW CONSTRUCTION AND	EXTEND/ADDITIONS
2A. TYPE OF SEWAGE DISPOSAL 01 (/) WSSC 02 ( ) SI	EPTIC 03 ( ) OTHER
2B. TYPE OF WATER SUPPLY 01 1/2 WSSC 02 ( ) W	ELL 03 ( ) OTHER
PART THREE: COMPLETE ONLY FOR FENCE/RETAINING	WALL
3A. HEIGHTfeetinches	•
3B. INDICATE WHETHER THE FENCE OR RETAINING WALL IS TO BE	CONSTRUCTED ON ONE OF THE FOIL OWING LOCATIONS
On party line/property line Entirely on land of own	
THE CONSTRUCTION WILL COMPLY WITH PLANS APPROVED BY ALL ACTO BE A CONDITION FOR THE ISSUANCE OF THIS PERMIT.	GENCIES LISTED AND I HEREBY ACKNOWLEDGE AND ACCEPT THIS
Signature of owner or authorited agent	11 13 9 b
APPROVEDFor Chairperson, Histor	ic Preservation Commission
DISAPPROVEDSignature	Date

### THE FOLLOWING ITEMS MUST BE COMPLETED AND THE REQUIRED DOCUMENTS MAN ACCOMPANY THIS APPLICATION

#### WRITTEN DESCRIPTION OF PROJECT

a. Description of existing structure(s) and environmental setting, including their historical features and significance:

HOUSE WAS REMODERED (NEW 2/3rd Plair) in 1992. Kitchen at year of house is original (1923). One side of kitchen flies driveway shared with neighbor. The proposed withour remodel is insignificant compand to the previous removation.

b. General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district:

Addition of transom window at near of house. (3) replace

aluminum window with drubeching wood window of same size

(3) Addition of chir conditioner on drucking side under lave

all world framing to match existing:

SITE PLAN

Site and environmental setting, drawn to scale. You may use your plat. Your site plan must include:

- a. the scale, north arrow, and date;
- b. dimensions of all existing and proposed structures; and
- c. site features such as walkways, driveways, fences, ponds, streams, trash dumpsters, mechanical equipment, and landscaping.

#### 3. PLANS AND ELEVATIONS

2

You must submit 2 copies of plans and elevations in a format no larger than 11" X 17". Plans on 8 1/2" X 11" paper are preferred.

- a. <u>Schematic construction plans</u>, with marked dimensions, indicating location, size and general type of walls, window and door openings, and other fixed features of both the existing resource(s) and the proposed work.
- b. Elevations (facades), with marked dimensions, clearly indicating proposed work in relation to existing construction and, when appropriate, context. All materials and fixtures proposed for the exterior must be noted on the elevations drawings. An existing and a proposed elevation drawing of each facade affected by the proposed work is required.

#### MATERIALS SPECIFICATIONS

General description of materials and manufactured items proposed for incorporation in the work of the project. This information may be included on your design drawings.

#### **グ**. PHOTOGRAPHS

14.


- a. Clearly labeled photographic prints of each facade of existing resource, including details of the affected portions. All labels should be placed on the front of photographs.
- b. Clearly label photographic prints of the resource as viewed from the public right-of-way and of the adjoining properties. All labels should be placed on the front of photographs.

#### 6. TREE SURVEY

If you are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at



House Location 4 Valley View Avenue



# VALLEY VIEW AVENUE

L.B.E. EH. Case: S.T. HILL

Note: House location surveys do not include setting iron pipes on property corners. Do not use this plat for the installment of fences.

#### SURVEYOR'S CERTIFICATE

I hereby certify that the location of all the existing improvements on the above described property has been carefully established by a transit-tape survey and that unless otherwise shown there are no encroachments.

AOGER M. VALES
Registered Land Surveyor Md. 4948 - Va. 910


REFERENCE	VALES & ASS	SOCIATES, INC	<b>)</b> .
PLAT BOOK S	LAND SURVEYORS  14916 EMORY LANE 460-3805 ROCKVILLE, MD. 20853		
223	DATE 3./8.8/	\$CALE. / = 20'	JOB NUMBER 8/70
4825	CHECK	FIELD 147.26	RECORD NUMBER
F0L10 80	PARTY ALD. GUK	DRAWN R. M.V.	SH /3778

(00)


A Start to S























HOTES:



Post-it* Fax Note 7671 Date //-73-96 pages To ∠ C R R From GREC M Co. Co. Dept.  Co. Dept.  Phone # Phone # 2.7 6.	10294 6294
	2





(A)

POONINE & JOHN

KENNEAUT

2 VALLY VIEW AVE

TAKOMAGRACIE MD 20912

J BELL (LANDLORD)

6 VALLEY VIEW AVE

TAKO MANPARE MO

20912

KAREN CHITTENDON/ WATERN MARUYAMA

3 VALLEY VIEW AT

TAKOMAOPARK MD 20912

CHARLES JOHNSON

5! PHILADELPHIA AVE

TAKONA PAKIC MD 20912



#### **MEMORANDUM**

TO:

Historic Area Work Permit Applicants

FROM:

Gwen Marcus, Historic Preservation Coordinator

Design, Zoning, and Preservation Division

M-NCPPC

SUBJECT:

Historic Area Work Permit Application - Approval of

Application/ Release of Other Required Permits

Enclosed is a copy of your Historic Area Work Permit application, approved by the Historic Preservation Commission at its recent meeting, and a transmittal memorandum stating conditions (if any) of approval.


You may now apply for a county building permit from the Department of Environmental Protection (DEP), at 250 Hungerford Drive, Second Floor, in Rockville. Please note that although your work has been approved by the Historic Preservation Commission, it must also be approved by DEP before work can begin.

When you file for your building permit at DEP, you must take with you the enclosed forms, as well as the Historic Area Work Permit that will be mailed to you directly from DEP. These forms are proof that the Historic Preservation Commission has reviewed your project. For further information about filing procedures or materials for your county building permit review, please call DEP at 217-6370.

If your project changes in any way from the approved plans, either before you apply for your building permit or even after the work has begun, please contact the Historic Preservation Commission staff at 495-4570.

Please also note that you must arrange for a field inspection for conformance with your approved HAWP plans. Please inform DEP/Field Services at 217-6240 of your anticipated work schedule.

Thank you very much for your patience and good luck with your project!



#### MISTORIC Preservation Commission

(301) 495-4570

### APPLICATION FOR HISTORIC AREA WORK PERMIT

	CONTACT PERSON PAT HELMBAUGIT
TAX ACCOUNT # 1075658	DAYTIME TELEPHONE NO. (301) 594-1077
NAME OF PROPERTY OWNER PAT HOLINGAUGH	(301) 574-1077
льнезэ	STATE ZP CODE  TELEPHONE NO. ( )
CONTRACTOR REGISTRATION NUMBER	
	DAYTIME TELEPHONE NO( )
LOCATION OF BUILDING/PREMISE	
HOUSE NUMBER 4 STREET VALL	EY NEW AVE
TOWNCITY TAKOMA PARIC	NEAREST CROSS STREET MAPLE AVE
LOT 46 BLOCK 87 SUBDIVISION HOLINGS	4 AUSTIN
LIBER FOLIO PARCEL	
PART ONE: TYPE OF PERMIT ACTION AND USE	
	A/C Dish Boom Addition
	LE ALL APPLICABLE: A/C Slab Room Addition
Construct Extend Alter/Renovate Repair Move Porch	,
	/Wall (complete Section 4) Single Family Other
18. CONSTRUCTION COST ESTIMATE \$ 15,000	
1C. IF THIS IS A REVISION OF A PREVIOUSLY APPROVED ACTIVE	PERMIT SEE PERMIT #
PART TWO: COMPLETE FOR NEW CONSTRUCTION A	ND EXTEND/ADDITIONS
2A. TYPE OF SEWAGE DISPOSAL 01 W WSSC 02 (	) SEPTIC 03 ( ) OTHER
2B. TYPE OF WATER SUPPLY 01 V WSSC 02 (	•
	7,771
PART THREE: COMPLETE ONLY FOR FENCE/RETAININ	G WALL
3A. HEIGHTfeetinches	in the second
38. INDICATE WHETHER THE FENCE OR RETAINING WALL IS TO B	BE CONSTRUCTED ON ONE OF THE FOLLOWING LOCATIONS:
On party line/property line Entirety on land of	owner On public right of way/essement
	GOING APPLICATION, THAT THE APPLICATION IS CORRECT, AND THAT AGENCIES LISTED AND I HEREBY ACKNOWLEDGE AND ACCEPT THIS  ; ;
Signature of owner or authorized agent	11 (3 92
The state of the s	
APPROVEDFor Chairperson, His	storic Preservation Commission
DISAPPROVEDSignature	Marrie Dato 12/3/96
APPLICATION/PERMET NO: 910 11140063	DATE FILED: DATE ISSUED:

SEE REVERSE SIDE FOR INSTRUCTIONS

to the previous renovation.

 General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district:

Addition of transom window at hear of home. Theplace aluminum window with drubeching wood window of some size 3 Addition of clir conditions on dividing side under lave all word framing to western existing.

2. SITE PLAN

Site and environmental setting, drawn to scale. You may use your plat. Your site plan must include:

- the scale, north arrow, and date;
- b. dimensions of all existing and proposed structures; and
- site features such as walkways, driveways, fences, ponds, streams, trash dumpsters, mechanical
  equipment, and landscaping.

#### PLANS AND ELEVATIONS

You must submit 2 copies of plans and elevations in a format no larger than 11" X 17". Plans on 8 1/2" X 11" paper are preferred.

- a. <u>Schematic construction plans</u>, with marked dimensions, indicating location, size and general type of walls, window and door openings, and other fixed features of both the existing resource(s) and the proposed work.
- b. Elevations (lacades), with marked dimensions, clearly indicating proposed work in relation to existing construction and, when appropriate, context. All materials and fixtures proposed for the extenor must be noted on the elevations drawings. An existing and a proposed elevation drawing of each facade affected by the proposed work is required.

#### MATERIALS SPECIFICATIONS

General description of materials and manufactured items proposed for incorporation in the work of the project. This information may be included on your design drawings.

#### S. PHOTOGRAPHS

- Clearly labeled photographic prints of each facade of existing resource, including details of the affected portions. All labels should be placed on the front of photographs.
- b. Clearly label photographic prints of the resource as viewed from the public right-of-way and of the adjoining properties. All labels should be placed on the front of photographs.

#### 6 TREE SURVEY

If you are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at approximately 4 feet above the ground), you must file an accurate tree survey identifying the size, location, and species of each tree of at least that dimension.

#### 7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS

For <u>all</u> projects, provide an accurate list of adjacent and confronting property owners (not tenants), including names, addresses, and zip codes. This list should include the owners of all lots or parcels which adjoin the parcel in question, as well as the owner(s) of lot(s) or parcel(s) which lie directly across the street/highway from the parcel in question. You can obtain this information from the Department of Assessments and Taxation, 51 Monroe Street, Rockville, (279-1355).


Please print (in blue or black ink) or type this information on the following page. Please stay within the guides of the template, as this will be photocopied directly onto mailing labels.


BONNIE & JOHN KENNEAUT 2 VALLY VIEW AVE TAKOMAGRACK MD 20912

J. BEU (LANDLORD) 6 VALLY VIEW AVE TAKO POATIPAREK MO 20912

KAREN CHITTENDON/ WARREN MARUYAMA 3 VALLEY VIEW ALE TAKOMAOPARK MD 20912

CHARLES JOHNSON 51 PHILADELPHIA AVE TAKOMA PAKK MD 20912





Montgomery County
Historic Preservation Commission


HOTES:

1. CAMINATE HEW 1/2 DETWARD ON CEILING

- 2. PRIME & PHINT DEL MALLS
- 3. CHBIHETS & FOURNCES -PROVIDED BY OWNER
- 4. SIHK IS FRANKE #1 CHOER MOUNTED IN COMEN TOP.

KITCHEN FLOOR PLAN


HOLDBAUGH RESIDENCE



Licationmery County
Listoric Preservation Commission

2396

MOHT SIDE ELEVATION






FOE EEE STANKE



House Location 4 Valley View Avenue



# VALLEY VIEW AVENUE

L.B.E. E.H. Case: S.T. HILL

We Note: House location surveys do not include setting iron pipes on property corners. Do not use this plat for the installment of fences.

#### REFERENCE SURVEYOR'S CERTIFICATE VALES & ASSOCIATES, INC. LAND SURVEYORS I hereby certify that the location of all PLAT BOOK the existing improvements on the above de-14916 EMORY LANE 3 ROCKVILLE, MD. 20853 scribed property has been carefully estab-460-3805 PLAT NUMBER lished by a transit-tape survey and that un-223 SCALE. / = 20 JOB NUMBER DATE 3.18.81 less otherwise shown there are no encroach-8170 ments. WALL FIELD 147.26 LIBER RECORD NUMBER 4825 ROGER M. VALES **FOLIO** SH 13778 PARTY ALD. GUK Registered Land Surveyor Md. 4948 - Va. 910 DRAWN R.M.V. 80







