

31/7 10200 Capitol View Ave.
OM 64-87



Historic Preservation Commission

-100 Maryland Avenue, Rockville, Maryland 20850-
~~279-1327~~
279-8097

51 Monroe Street, Rm. 1009
Rockville, MD 20850

APPLICATION FOR HISTORIC AREA WORK PERMIT

AX ACCOUNT # 997353

NAME OF PROPERTY OWNER FRANCIS J. / JULIE MURRAY TELEPHONE NO. (301) 587-3935
(Contract/Purchaser) (Include Area Code)

ADDRESS 10200 CAPITAL VIEW AVE. SILVER SPRING MD 20910
CITY STATE ZIP

CONTRACTOR R & E Remodeling TELEPHONE NO. (301) 921-9007
CONTRACTOR REGISTRATION NUMBER 11732

ANS PREPARED BY N/A TELEPHONE NO. _____
(Include Area Code)

REGISTRATION NUMBER _____

LOCATION OF BUILDING/PREMISE

House Number 10200 Street CAPITAL VIEW AVENUE

Town/City SILVER SPRING Election District _____

Nearest Cross Street VIRGINIA AVE.

Block 1 Subdivision CAPITAL VIEW PARK

Parcel Number 7498 Folio 758 Parcel N/A

1. TYPE OF PERMIT ACTION: (circle one)
Construct Extend/Add Alter/Renovate Repair Revisit
Wreck/Raze Move Install Revocable
Circle One: A/C Slab Room Addition
Porch Deck Fireplace Shed Solar Woodburning Stove
Fence/Wall (complete Section 4) Other REEROOF

2. CONSTRUCTION COSTS ESTIMATE \$ 3745.00

3. IF THIS IS A REVISION OF A PREVIOUSLY APPROVED ACTIVE PERMIT SEE PERMIT # _____

4. INDICATE NAME OF ELECTRIC UTILITY COMPANY Pepeco

5. IS THIS PROPERTY A HISTORICAL SITE? NO

PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITIONS

1. TYPE OF SEWAGE DISPOSAL
01 () WSSC 02 () Septic
03 () Other _____

2B. TYPE OF WATER SUPPLY
01 () WSSC 02 () Well
03 () Other _____

PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL

A. HEIGHT _____ feet _____ inches

3. Indicate whether the fence or retaining wall is to be constructed on one of the following locations:
1. On party line/Property line _____
2. Entirely on land of owner _____
3. On public right of way/easement _____ (Revocable Letter Required).

I hereby certify that I have the authority to make the foregoing application, that the application is correct, and that the construction will comply with all laws approved by all agencies listed and I hereby acknowledge and accept this to be a condition for the issuance of this permit.

Signature of owner or authorized agent (agent must have signature notarized on back) Julie Ann Murray Date 28 October, 1987

APPROVED X For Chairperson, Historic Preservation Commission
DISAPPROVED _____ Signature Robert Hale Date 12/14/87

APPLICATION/PERMIT NO: OM 64-87 FILING FEE: \$ _____
DATE FILED: _____ PERMIT FEE: \$ _____
DATE ISSUED: _____ BALANCE \$ _____
OWNERSHIP CODE: _____ RECEIPT NO: _____ FEE WAIVED: _____

SEE REVERSE SIDE FOR INSTRUCTIONS

THE FOLLOWING ITEMS MUST BE COMPLETED AND THE REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION

DESCRIPTION OF PROPOSED WORK: (including composition, color and texture of materials to be used:)

Replace existing ^{shingle} roof with new CertainTeed Heritage 25 year fiberglass shingles over new 15th roofing felt. Shingle color to be weathered gray.

(see attached)

(If more space is needed, attach additional sheets on plain or lined paper to this application)

ATTACH TO THIS APPLICATION (2) COPIES OF: SUCH SITE PLANS (lot dimensions, building location with dimensions, drives, walks, fences, patios, etc. proposed or existing) and/or ARCHITECTURAL DRAWINGS (floor plans, elevations, etc.), PHOTOGRAPHS OF THE AREA AFFECTED, as are necessary to fully describe the proposed work.

MAIL OR DELIVER THE APPLICATION AND ALL REQUIRED DOCUMENTS TO THE:
HISTORIC PRESERVATION COMMISSION
100 MARYLAND AVENUE
ROCKVILLE, MARYLAND 20850



Historic Preservation Commission

400 Maryland Avenue, Rockville, Maryland 20850

279-1327

279-8097

51 Monroe Street, Rm. 1009
Rockville, MD 20850

APPLICATION FOR HISTORIC AREA WORK PERMIT

TAX ACCOUNT # 997353

NAME OF PROPERTY OWNER FRANCIS J. / JULIE MURRAY TELEPHONE NO. (301) 587-3935
(Contract/Purchaser) (Include Area Code)

ADDRESS 10200 CAPITAL VIEW AVE. SILVER SPRING MD 20910
CITY STATE ZIP

CONTRACTOR R & E Remodeling TELEPHONE NO. (301) 921-9007

PLANS PREPARED BY N/A CONTRACTOR REGISTRATION NUMBER 11732

TELEPHONE NO. _____
(Include Area Code)

REGISTRATION NUMBER _____

LOCATION OF BUILDING/PREMISE

House Number 10200 Street CAPITAL VIEW AVENUE

Town/City SILVER SPRING Election District _____

Nearest Cross Street VIRGINIA AVE.

Lot 15, Block 1 Subdivision CAPITAL VIEW PARK

Liber 7498 Folio 758 Parcel N/A

1A. TYPE OF PERMIT ACTION: (circle one)
Construct Extend/Add Alter/Renovate Repair
Wreck/Raze Move Install Revocable Revision
Circle One: A/C Slab Room Addition
Porch Deck Fireplace Shed Solar Woodburning Stove
Fence/Wall (complete Section 4) Other Re-roof

1B. CONSTRUCTION COSTS ESTIMATE \$ 3745

1C. IF THIS IS A REVISION OF A PREVIOUSLY APPROVED ACTIVE PERMIT SEE PERMIT # _____

1D. INDICATE NAME OF ELECTRIC UTILITY COMPANY Peppo

1E. IS THIS PROPERTY A HISTORICAL SITE? NO

PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITIONS

2A. TYPE OF SEWAGE DISPOSAL
01 () WSSC 02 () Septic
03 () Other _____
2B. TYPE OF WATER SUPPLY
01 () WSSC 02 () Well
03 () Other _____

PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL

4A. HEIGHT _____ feet _____ inches
4B. Indicate whether the fence or retaining wall is to be constructed on one of the following locations:
1. On party line/Property line _____
2. Entirely on land of owner _____
3. On public right of way/easement _____ (Revocable Letter Required).

I hereby certify that I have the authority to make the foregoing application, that the application is correct, and that the construction will comply with plans approved by all agencies listed and I hereby acknowledge and accept this to be a condition for the issuance of this permit.

Francis J. Murray 28 October, 1987
Signature of owner or authorized agent (agent must have signature notarized on back) Date

APPROVED X For Chairperson, Historic Preservation Commission

DISAPPROVED _____ Signature Robert Hale Date 12/14/87

APPLICATION/PERMIT NO: OM 64-87 FILING FEE: \$ _____

DATE FILED: _____ PERMIT FEE: \$ _____

DATE ISSUED: _____ BALANCE \$ _____

OWNERSHIP CODE: _____ RECEIPT NO: _____ FEE WAIVED: _____

SEE REVERSE SIDE FOR INSTRUCTIONS

THE FOLLOWING ITEMS MUST BE COMPLETED AND THE REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION

DESCRIPTION OF PROPOSED WORK: (including composition, color and texture of materials to be used:)

Multiple horizontal lines for describing the proposed work.

(If more space is needed, attach additional sheets on plain or lined paper to this application)

ATTACH TO THIS APPLICATION (2) COPIES OF: SUCH SITE PLANS (lot dimensions, building location with dimensions, drives, walks, fences, patios, etc. proposed or existing) and/or ARCHITECTURAL DRAWINGS (floor plans, elevations, etc.), PHOTOGRAPHS OF THE AREA AFFECTED, as are necessary to fully describe the proposed work.

MAIL OR DELIVER THE APPLICATION AND ALL REQUIRED DOCUMENTS TO THE: HISTORIC PRESERVATION COMMISSION 100 MARYLAND AVENUE ROCKVILLE, MARYLAND 20850

Faint, mostly illegible text at the bottom of the page, possibly bleed-through from the reverse side.

THE FOLLOWING ITEMS MUST BE COMPLETED AND THE REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION

DESCRIPTION OF PROPOSED WORK: (including composition, color and texture of materials to be used:)


Replace existing ^{shingle} roof with new CertainTeed Heathstead
25 year fiberglass shingles over new 15th roofing
felt. Shingle color to be weathered gray.

(see attached)


(If more space is needed, attach additional sheets on plain or lined paper to this application)

ATTACH TO THIS APPLICATION (2) COPIES OF: SUCH SITE PLANS (lot dimensions, building location with dimensions, drives, walks, fences, patios, etc. proposed or existing) and/or ARCHITECTURAL DRAWINGS (floor plans, elevations, etc.), PHOTOGRAPHS OF THE AREA AFFECTED, as are necessary to fully describe the proposed work.

MAIL OR DELIVER THE APPLICATION AND ALL REQUIRED DOCUMENTS TO THE:
HISTORIC PRESERVATION COMMISSION
100 MARYLAND AVENUE
ROCKVILLE, MARYLAND 20850



















Desert Blend (Fiber Glass)








A 4 tab design with bold shadow lines gives the Hearsthead shingle a dimensional look that will enhance the appearance of many homes, and it installs easily. This shingle combines outstanding protection, durability and distinction. Best of all, Hearsthead offers an extraordinary roof at an ordinary price.

- Four distinctive tabs and bold shadow lines for dimensional appeal.
- Fiber Glass composition conforms with:
 - U.L. Class A Fire Resistance
 - U.L. Wind Resistance
 - ASTM D3462
 - ASTM D3018 Type 1
- Organic Felt composition conforms with:
 - ASTM D225 Type III
 - ASTM E108 Class C Fire Resistance
 - ASTM D3161 Wind Resistance
- 25-year limited warranty, with liability calculated using replacement cost (prorated) including labor.
- Available as Fungus Resistant in Middle Atlantic and Southern Regions
- Self-sealing adhesive strips
- Patent Pending



Name	Material Composition	Dimensions	Length of Warranty	Shingles Per Sq.	Bundles Per Sq.	Fire Rating	ASTM Specs
							
Hallmark Shingle	Fiber Glass Base	12" x 36"	30 Transferable	80	4	Class A	D3018 Type I D3462
							
Hallmark Shingle	Organic Base	12" x 36"	30 Transferable	80	5	Class C	D225 Type I E108 Class C
							
Independence Shingle	Fiber Glass Base	12" x 36"	30 Transferable	80	4	Class A	D3018 Type I D3462
							
Independence Shingle	Organic Base	12" x 36"	30 Transferable	80	4	Class C	D225 Type I E108 Class C
							
Horizon Shingle	Fiber Glass Base	12" x 36"	25 Transferable	80	3	Class A	D3018 Type I D3462
							
Horizon Shingle	Organic Base	12" x 36"	25 Transferable	80	3	Class C	D225 Type III E108 Class C D3161
							
Hearthstead	Fiber Glass Base	12" x 36"	25	80	3	Class A	D3018 Type I D3462
							
Hearthstead	Organic Base	12" x 36"	25	80	3	Class C	D225 Type III E108 Class C D3161
							
CertainTeed 25 (Glassguard 25)	Fiber Glass Base	12" x 36"	25	80	3	Class A	D3018 Type I D3462
							
CertainTeed 20 (Sealdon 20)	Organic Base	12" x 36"	20	80	3	Class C	D225 Type III E108 Class C D3161
							
CertainTeed 20 (Glassguard)	Fiber Glass Base	12" x 36"	20	80	3	Class A	D3018 Type I D3462
							
FungusBuster	Fiber Glass Base	12" x 36"	20	80	3	Class A	D3018 Type I D3462
							
Solid Slab	Organic Base	12" x 36"	20	80	3	Class C	D225 Type III E108 Class C D3161
							
Master Slab	Organic Base	11 1/2" x 32"	20	128	4	Class C	D225 Type III E108 Class C
							
Custom Saf-T-Lok	Organic Base	20 1/16" x 21 1/2"	20	99	3	Class C	E108 Class C D3161 D225 Type III

COLOR AVAILABILITY

Shingle	Color	Middle Atlantic	Southern	Lake Central	North Central
Hallmark Shingle 	Burnt Sienna			●	●
	Bronzed Brown	†	†	●	●
	Driftwood	†	†	●	
	Golden Tan	†	†	●	●
	Hickory Bark	■	■	●	●
	Pewter Gray	†	†	●	●
	Two Tone Black	†	†	●	●
	Weathered Shake	■	■	●	●
Independence Shingle 	Burnt Sienna	†	†	●	
	Cedar Bark	†	†	●	
	Colonial Slate	†	†	●	
	Driftwood	†	†	●	
	Heather Blend	†	†	●	
	Mesquite			●	
	Resawn Shake	†	†		
	Weathered Wood	†	†	●	
Horizon Shingle 	Buckskin Tan	†		●	●
	Graystone	†	†	●	●
	Harvest Brown	†	†	●	●
	Homestead Slate	■	■	●	●
	Prairie Wood	†	†	●	●
	Weathered Wood	†	†	●	●
Hearthstead 	Desert Blend	■		†	●
	Driftwood	■	■		
	Heatherwood	†	†	†	●
	Saddle Brown	■	■	■	●
	Sandstone		■		
	Slate Gray			†	●
	Weathered Gray	†	†	■	●
CertainTeed 25 (Glassguard 25) 	Autumn Brown			■	■
	Black	■	■	†	■
	Bronzed Brown		■		
	Cedar Brown	■			
	Moire Black	■			
	Charcoal Gray		†		
	Cinnamon Frost	■			
	Coral Frost			■	
	Gray Frost	†		■	†
	Mint Frost			■	†
	Nickel Gray	■		■	†
	Oakwood	■			■
	Sandalwood				■
	Slate Gray	■			
	Star White	†	■	■	■
	Timber Blend	■	†	■	†
	Walnut Brown			■	
Weathered Blend	■				
Weathered Wood	■	■	■	■	

● Organic Base
 † Fiber Glass Base



FungusBuster is available in the Southern region shipping area only. All other shingle products in the Middle Atlantic or Southern regions are also available in fungus resistant by special order.

Requests for shipments outside designated areas should be made through nearest regional office.