

13/30-04A 21010 Clarksburg Rd  
Master Plan #13/30 High View



THE MARYLAND-NATIONAL CAPITAL PARK & PLANNING COMMISSION

Date: September 10, 2004

**MEMORANDUM**

TO: Robert Hubbard, Director

FROM: Tania Georgiou Tully, Senior Planner  
Historic Preservation Section

SUBJECT: Historic Area Work Permit # 353717

---

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was **APPROVED**. The HPC staff will review and stamp the construction drawings prior to the applicant's applying for a building permit with DPS.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE APPROVED HISTORIC AREA WORK PERMIT (HAWP).

Applicant: Harry & Deborah St.Ours

Address: 21010 Clarksburg Road, Boyds

This HAWP approval is subject to the general condition that, after issuance of the Montgomery County Department of Permitting Services (DPS) permit, the applicant arrange for a field inspection by calling the Montgomery County DPS Field Services Office at 240-777-6210 or online at <http://permits.emontgomery.org> prior to commencement of work and not more than two weeks following completion of work



**HISTORIC PRESERVATION COMMISSION**  
**301/563-3400**

IEG

**APPLICATION FOR  
HISTORIC AREA WORK PERMIT**

Contact Person: Harry St.Ours  
 Daytime Phone No.: (301) 972-9696  
 Tax Account No.: 00025944  
 Name of Property Owner: Harry & Deborah St.Ours Daytime Phone No.: (301) 972-9696  
 Address: 21010 Clarksburg Road Boys MD 20841  
Street Number City State Zip Code  
 Contractor: The Amish Connection Phone No.: (301) 428-3100  
 Contractor Registration No.: MHIC 15958-01  
 Agent for Owner: Bob Dalton Daytime Phone No.: (301) 428-3100

**LOCATION OF BUILDING/PREMISE**

House Number: 21010 Street: Clarksburg Road  
 Town/City: Boys Nearest Cross Street: Crisman Hill Drive  
 Lot: \_\_\_\_\_ Block: \_\_\_\_\_ Subdivision: Garnkirk  
 Liber: 5710 Folio: 616 Parcel: 626

**PART ONE: TYPE OF PERMIT ACTION AND USE**

1A. CHECK ALL APPLICABLE:

<input type="checkbox"/> Construct	<input type="checkbox"/> Extend	<input type="checkbox"/> Alter/Renovate	<input type="checkbox"/> A/C	<input type="checkbox"/> Slab	<input type="checkbox"/> Room Addition	<input type="checkbox"/> Porch	<input type="checkbox"/> Deck	<input checked="" type="checkbox"/> Shed
<input type="checkbox"/> Move	<input checked="" type="checkbox"/> Install	<input type="checkbox"/> Wreck/Raze	<input type="checkbox"/> Solar	<input type="checkbox"/> Fireplace	<input type="checkbox"/> Woodburning Stove	<input type="checkbox"/> Single Family		
<input type="checkbox"/> Revision	<input type="checkbox"/> Repair	<input type="checkbox"/> Revocable	<input type="checkbox"/> Fence/Wall (complete Section 4)		<input type="checkbox"/> Other: _____			

1B. Construction cost estimate: \$ 4,750

1C. If this is a revision of a previously approved active permit, see Permit # \_\_\_\_\_

**PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITIONS**

2A. Type of sewage disposal: 01  WSSC 02  Septic 03  Other: \_\_\_\_\_

2B. Type of water supply: 01  WSSC 02  Well 03  Other: \_\_\_\_\_

**PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL**

3A. Height \_\_\_\_\_ feet \_\_\_\_\_ inches

3B. Indicate whether the fence or retaining wall is to be constructed on one of the following locations:

On party line/property line     Entirely on land of owner     On public right of way/easement

I hereby certify that I have the authority to make the foregoing application, that the application is correct, and that the construction will comply with plans approved by all agencies listed and I hereby acknowledge and accept this to be a condition for the issuance of this permit.

Harry St.Ours \_\_\_\_\_ 8-2-04  
 Signature of owner or authorized agent Date

Approved: \_\_\_\_\_ For Chairperson, Historic Preservation Commission  
 Disapproved: \_\_\_\_\_ Signature: Julia O'Malley Date: 9/8/04  
 Application/Permit No.: 353717 Date Filed: \_\_\_\_\_ Date Issued: \_\_\_\_\_

**THE FOLLOWING ITEMS MUST BE COMPLETED AND THE  
REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION.**

**1. WRITTEN DESCRIPTION OF PROJECT**

- a. Description of existing structure(s) and environmental setting, including their historical features and significance:  
This stately 22-room mansion in the Queen Anne style is the last of the Victorian resort hotels located in scenic upper Montgomery County. Built in 1887 by Somerset Williams, the former Boyds Hotel (also known as the Burdette Hotel) was the main country inn of the then-popular resort town of Boyds. Gifted with generous, embassy-sized rooms, the largest of which is 14' by 40', High View took advantage of the Boyds stop on the Metropolitan Line of the B&O Railroad added in the 1880's and was visited by foreign guests, diplomats and even a president who escaped the heat and humidity of Washington summers to walk the cool hills of upper Montgomery County. Nestled on five wooded park-like acres and well situated atop a hill overlooking the 1,800-acre Black Hill Regional Park which borders the 525-acre Little Seneca Lake reservoir, High View is surrounded by a dozen of the largest, most beautiful oak trees in Montgomery County. High View is listed on the Montgomery County Master plan for Historic Sites and is pictured in the Montgomery County Atlas of Historic Places. Located only three miles from Interstate 270 in the burgeoning Germantown and Clarksburg areas, High View is served by the MARC commuter rail one-half mile away in historic downtown Boyds.
- b. General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district:  
Because there is no storage space to house the growing amount of lawn and garden equipment used to maintain High View, we propose to have the Amish Connection company of Clarksburg, Maryland pre-construct and install on site a lawn and garden shed. It will be small (200 sq. ft.) and unobtrusive on the nearly 5 acres of the property. It will remain architecturally compatible with and require absolutely no alteration to the exterior of the main historic structure. The proposed shed is in keeping with the nature of the immediate neighborhood, which are mostly older 2 acre estates or larger, each of which contain several outbuildings of this sort. It will not be visible to any adjacent neighbor. No trees will be affected in any way by the installation of this pre-built shed, since the placement will be in a clear area outside of all drip lines.

**2. SITE PLAN**

Site and environmental setting, drawn to scale. You may use your plat. Your site plan must include:

- a. the scale, north arrow, and date;
- b. dimensions of all existing and proposed structures; and
- c. site features such as walkways, driveways, fences, ponds, streams, trash dumpsters, mechanical equipment, and landscaping.

**3. PLANS AND ELEVATIONS**

You must submit 2 copies of plans and elevations in a format no larger than 11" x 17". Plans on 8 1/2" x 11" paper are preferred.

- a. *Schematic construction plans*, with marked dimensions, indicating location, size and general type of walls, window and door openings, and other fixed features of both the existing resource(s) and the proposed work.
- b. Elevations (facades), with marked dimensions, clearly indicating proposed work in relation to existing construction and, when appropriate, context. All materials and fixtures proposed for the exterior must be noted on the elevations drawings. An existing and a proposed elevation drawing of each facade affected by the proposed work is required.

**4. MATERIALS SPECIFICATIONS**

General description of materials and manufactured items proposed for incorporation in the work of the project. This information may be included on your design drawings.

**5. PHOTOGRAPHS**

- a. Clearly labeled photographic prints of each facade of existing resource, including details of the affected portions. All labels should be placed on the front of photographs.
- b. Clearly label photographic prints of the resource as viewed from the public right-of-way and of the adjoining properties. All labels should be placed on the front of photographs.

**6. TREE SURVEY**

If you are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at approximately 4 feet above the ground), you must file an accurate tree survey identifying the size, location, and species of each tree of at least that dimension.

**7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS**


For **ALL** projects, provide an accurate list of adjacent and confronting property owners (not tenants), including names, addresses, and zip codes. This list should include the owners of all lots or parcels which adjoin the parcel in question, as well as the owner(s) of lot(s) or parcel(s) which lie directly across the street/highway from the parcel in question. You can obtain this information from the Department of Assessments and Taxation, 51 Monroe Street, Rockville, (301/279-1355).

PLEASE PRINT (IN BLUE OR BLACK INK) OR TYPE THIS INFORMATION ON THE FOLLOWING PAGE.  
PLEASE STAY WITHIN THE GUIDES OF THE TEMPLATE, AS THIS WILL BE PHOTOCOPIED DIRECTLY ONTO MAILING LABELS.

Application for Historic Area Work Permit Addendum (Second copy)

3. PLANS & ELEVATIONS


a. Schematic Construction Plans with Materials Specifications (from Amish Connection)



APPROVED  
Montgomery County  
Historic Preservation Commission  
*Jane De Kelly* 9/10/04

3. PLANS & ELEVATIONS


b. Structural Section for "Quaker" style shed (from Amish Connection)..



APPROVED  
Montgomery County  
Historic Preservation Commission  
*Priska D. Tully* 9/10/94

4. MATERIALS SPECIFICATIONS  
General Description of manufactured item

# Quakers




Dimensions: 10' x 12'

Colors Shown: White, Hunter Green Trim,  
Gray Shingles



Dimensions: 8' x 12'


Colors Shown: Gray Siding, White Trim,  
White Shingles



Dimensions: 10' x 16'

Colors Shown: Beige Paint on Pine Siding, White Trim,  
Brown Shingles

Option Shown: Arch Doors, Deluze Roof,  
16' x 36' Windows



Dimensions: 4' x 6'

Sheds

Gazebos

## AMISH CONNECTION

23357 Frederick Rd.  
Clerksburg, MD 20871  
(301) 428-3100

15520 D Georgia Ave.  
Oney, MD 20832  
(301) 774-5100 (Ph. & Fax)

# Application for Historic Area Work Permit Addendum

## 1. WRITTEN DESCRIPTION OF PROJECT

*a. Description of existing structure(s) and environmental setting, including their historical features and significance:*

High View is listed in the Montgomery County Master Plan for Historic Sites (13-30) and is pictured in the Montgomery County Atlas of Historic Places.

Built in 1887 by Somerset Williams, High View, the former Boyds Hotel (also known as the Burdette Hotel) was the main country inn of the then-popular resort town of Boyds. This stately 22-room mansion in the Queen Anne style is the last of the Victorian resort hotels once located in scenic upper Montgomery County. Gifted with generous, embassy-sized rooms, the largest of which is 14' by 40', High View took advantage of the Boyds stop on the Metropolitan Line of the B&O Railroad added in the 1880's and was visited by foreign guests, diplomats and even a president who escaped the heat and humidity of Washington summers to walk the cool hills of upper Montgomery County.

Nestled on nearly five wooded park-like acres and well situated atop a hill overlooking the 1,800-acre Black Hill Regional Park which borders the 525-acre Little Seneca Lake reservoir, High View is surrounded by a dozen of the largest, most beautiful oak trees in Montgomery County. Located only three miles from Interstate 270 in the burgeoning Germantown and Clarksburg areas, High View is served by the MARC Commuter Rail one-half mile away in historic downtown Boyds.


*b. General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district:*

The expansive grounds, magnificent champion trees and ornamental gardens at High View require extensive care and maintenance. Currently, there is no storage space to house the growing amount of lawn and garden equipment used to keep High View beautiful. As a consequence, the equipment is stored out in the open or under the main house balcony. There is also much in the way of wood, paint and other supplies used regularly that are now stored outside under a tarpaulin or stored inside in as-yet unrestored rooms. These materials need a safe and dry storage space separate from the main structure.

The proposed lawn and garden shed will be pre-constructed using cedar wood and installed on site by the Amish Connection company of Clarksburg and Olney, Maryland, an established Montgomery County company of talented artisans. It will be small (200 sq. ft.) and unobtrusive compared to the nearly 5 acres of the property. It will remain architecturally compatible with (and of course require absolutely no alteration to) the exterior of the main historic structure, and will be painted in the same historic Victorian colors. The proposed shed is in keeping with the nature of the immediate neighborhood, which are mostly older 2 acre estates or larger, each of which contain several outbuildings of this sort.


The shed is planned for an appropriate location so as to make it invisible to any adjacent neighbor, hidden instead by the forested perimeter that forms the acreage of most of High View. No trees will be affected in any way by the installation of this pre-built shed, since the placement will be in a clear, level area outside all drip lines.

This lawn and garden shed would remedy the current unsightly and potentially unsafe situation of having lawn and garden equipment stored out in the elements and wood and paint stored inside, and allow the owners as caretakers of this historic trust to have access to more of the house and grounds.





2. SITE PLAN  
 Survey by Maddox, Inc., 1997 and recorded as  
 Liber 5710 Folio 616 (Scale 1" = 100')



**MADDOX**  
 ENGINEERS & SURVEYORS  
 1000 ...  
 1997 ...

***EXPEDITED***  
**HISTORIC PRESERVATION COMMISSION STAFF REPORT**

<b>Address:</b>	21010 Clarksburg Road	<b>Meeting Date:</b>	09/08/04
<b>Applicant:</b>	Harry & Deborah St.Ours	<b>Report Date:</b>	09/01/04
<b>Resource:</b>	<i>Master Plan Site</i> High View	<b>Public Notice:</b>	08/25/04
<b>Review:</b>	HAWP	<b>Tax Credit:</b>	None
<b>Case Number:</b>	13/30-04A	<b>Staff:</b>	Tania Tully
<b>PROPOSAL:</b>	Install a shed.		

**RECOMMENDATION:** Approve

**PROJECT DESCRIPTION**

SIGNIFICANCE: Victorian resort hotel  
 STYLE: Queen Anne  
 DATE: 1887

**PROPOSAL:**

The applicants propose to install a pre-built shed constructed by the Amish Connection. Proposed size is 10'x20' and approximately 9' high. The shed will have cedar siding, wood windows and asphalt shingles. The location of the shed will not disturb any trees and will not be visible to neighbors.

**STAFF RECOMMENDATION:**

**X** Approval  
 Approval with conditions.

Approval is based on the following criteria from Chapter 24A of the Montgomery County Code, Section 8(b): The commission shall instruct the director to issue a permit, or issue a permit subject to such conditions as are found to be necessary to insure conformity with the purposes and requirements of this chapter, if it finds that:

1. The proposal will not substantially alter the exterior features of an historic site, or historic resource within an historic district; or

2. The proposal is compatible in character and nature with the historical, archeological, architectural or cultural features of the historic site, or the historic district in which an historic resource is located and would not be detrimental thereto or to the achievement of the purposes of this chapter; or

3. The proposal would enhance or aid in the protection, preservation and public or private

utilization of the historic site, or historic resource located within an historic district, in a manner compatible with the historical, archeological, architectural or cultural value of the historic site or historic district in which an historic resource is located, or

\_\_\_\_ 4. The proposal is necessary in order that unsafe conditions or health hazards be remedied;  
or

\_\_\_\_ 5. The proposal is necessary in order that the owner of the subject property not be deprived of reasonable use of the property or suffer undue hardship; or

\_\_\_\_ 6. In balancing the interests of the public in preserving the historic site, or historic resource located within an historic district, with the interests of the public from the use and benefit of the alternative proposal, the general public welfare is better served by granting the permit.



RETURN TO: DEP/ ENT OF PERMITTING SERVICES  
 255 ROCKVILLE PIKE, 2nd FLOOR, ROCKVILLE, MD 20850  
 240/777-6370

DPS - #8

**HISTORIC PRESERVATION COMMISSION**  
**301/563-3400**

IEG

**APPLICATION FOR  
 HISTORIC AREA WORK PERMIT**

Contact Person: Harry St. Ours  
 Daytime Phone No.: (301) 972-9696  
 Tax Account No.: 00025944  
 Name of Property Owner: Harry & Deborah St. Ours Daytime Phone No.: (301) 972-9696  
 Address: 21010 Clarksburg Road Boyd MD 20841  
Street Number City State Zip Code  
 Contractor: The Amish Connection Phone No.: (301) 428-3100  
 Contractor Registration No.: MHIC 15958-01  
 Agent for Owner: Bob Dalton Daytime Phone No.: (301) 428-3100

**LOCATION OF BUILDING/PREMISE**  
 House Number: 21010 Street: Clarksburg Road  
 Town/City: Boyd Nearest Cross Street: Crisman Hill Drive  
 Lot: \_\_\_\_\_ Block: \_\_\_\_\_ Subdivision: Garnkirk  
 Liber: 5710 Folio: 616 Parcel: 626

**PART ONE: TYPE OF PERMIT ACTION AND USE**

1A. CHECK ALL APPLICABLE:  Construct  Extend  Alter/Renovate  A/C  Slab  Room Addition  Porch  Deck  Shed  
 Move  Install  Wreck/Raze  Solar  Fireplace  Woodburning Stove  Single Family  
 Revision  Repair  Revocable  Fence/Wall (complete Section 4)  Other: \_\_\_\_\_

1B. Construction cost estimate: \$ 4,750

1C. If this is a revision of a previously approved active permit, see Permit # \_\_\_\_\_

**PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITIONS**

2A. Type of sewage disposal: 01  WSSC 02  Septic 03  Other: \_\_\_\_\_  
 2B. Type of water supply: 01  WSSC 02  Well 03  Other: \_\_\_\_\_

**PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL**

3A. Height \_\_\_\_\_ feet \_\_\_\_\_ inches

3B. Indicate whether the fence or retaining wall is to be constructed on one of the following locations:  
 On party line/property line  Entirely on land of owner  On public right of way/easement

I hereby certify that I have the authority to make the foregoing application, that the application is correct, and that the construction will comply with all laws approved by all agencies listed and I hereby acknowledge and accept this to be a condition for the issuance of this permit.

Harry St. Ours 8-2-04  
 Signature of owner or authorized agent Date

Approved: \_\_\_\_\_ For Chairperson, Historic Preservation Commission  
 Disapproved: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
 Application/Permit No.: 353717 Date Filed: \_\_\_\_\_ Date Issued: \_\_\_\_\_

**THE FOLLOWING ITEMS MUST BE COMPLETED AND THE  
REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION.**

**1. WRITTEN DESCRIPTION OF PROJECT**

a. Description of existing structure(s) and environmental setting, including their historical features and significance:

This stately 22-room mansion in the Queen Anne style is the last of the Victorian resort hotels located in scenic upper Montgomery County. Built in 1887 by Somerset Williams, the former Boyds Hotel (also known as the Burdette Hotel) was the main country inn of the then-popular resort town of Boyds. Gifted with generous, embassy-sized rooms, the largest of which is 14' by 40', High View took advantage of the Boyds stop on the Metropolitan Line of the B&O Railroad added in the 1880's and was visited by foreign guests, diplomats and even a president who escaped the heat and humidity of Washington summers to walk the cool hills of upper Montgomery County. Nestled on five wooded park-like acres and well situated atop a hill overlooking the 1,800-acre Black Hill Regional Park which borders the 525-acre Little Seneca Lake reservoir, High View is surrounded by a dozen of the largest, most beautiful oak trees in Montgomery County. High View is listed on the Montgomery County Master plan for Historic Sites and is pictured in the Montgomery County Atlas of Historic Places. Located only three miles from Interstate 270 in the burgeoning Germantown and Clarksburg areas, High View is served by the MARC commuter rail one-half mile away in historic downtown Boyds.

b. General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district:

Because there is no storage space to house the growing amount of lawn and garden equipment used to maintain High View, we propose to have the Amish Connection company of Clarksburg, Maryland pre-construct and install on site a lawn and garden shed. It will be small (200 sq. ft.) and unobtrusive on the nearly 5 acres of the property. It will remain architecturally compatible with and require absolutely no alteration to the exterior of the main historic structure. The proposed shed is in keeping with the nature of the immediate neighborhood, which are mostly older 2 acre estates or larger, each of which contain several outbuildings of this sort. It will not be visible to any adjacent neighbor. No trees will be affected in any way by the installation of this pre-built shed, since the placement will be in a clear area outside of all drip lines.

**2. SITE PLAN**

Site and environmental setting, drawn to scale. You may use your plat. Your site plan must include:

- the scale, north arrow, and date;
- dimensions of all existing and proposed structures; and
- site features such as walkways, driveways, fences, ponds, streams, trash dumpsters, mechanical equipment, and landscaping.

**3. PLANS AND ELEVATIONS**

You must submit 2 copies of plans and elevations in a format no larger than 11" x 17". Plans on 8 1/2" x 11" paper are preferred.

- Schematic construction plans**, with marked dimensions, indicating location, size and general type of walls, window and door openings, and other fixed features of both the existing resource(s) and the proposed work.
- Elevations (facades), with marked dimensions, clearly indicating proposed work in relation to existing construction and, when appropriate, context. All materials and fixtures proposed for the exterior must be noted on the elevations drawings. An existing and a proposed elevation drawing of each facade affected by the proposed work is required.

**4. MATERIALS SPECIFICATIONS**

General description of materials and manufactured items proposed for incorporation in the work of the project. This information may be included on your design drawings.

**5. PHOTOGRAPHS**

- Clearly labeled photographic prints of each facade of existing resource, including details of the affected portions. All labels should be placed on the front of photographs.
- Clearly label photographic prints of the resource as viewed from the public right-of-way and of the adjoining properties. All labels should be placed on the front of photographs.

**6. TREE SURVEY**

If you are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at approximately 4 feet above the ground), you must file an accurate tree survey identifying the size, location, and species of each tree of at least that dimension.

**7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS**

For ALL projects, provide an accurate list of adjacent and confronting property owners (not tenants), including names, addresses, and zip codes. This list should include the owners of all lots or parcels which adjoin the parcel in question, as well as the owner(s) of lot(s) or parcel(s) which lie directly across the street/highway from the parcel in question. You can obtain this information from the Department of Assessments and Taxation, 51 Monroe Street, Rockville, (301) 278-1253.


PLEASE PRINT IN BLUE OR BLACK INK OR TYPE THIS INFORMATION ON THE FOLLOWING PAGE.  
PLEASE STAY WITHIN THE GUIDELINES OF THE TEMPLATE, AS THIS WILL BE PHOTOCOPIED DIRECTLY ONTO MAILING LABELS.

4

Application for Historic Area Work Permit Addendum

2. SITE PLAN


Survey by Maddox, Inc., 1997 and recorded as  
Liber 5710 Folio 616 (Scale 1" = 100')



Application for Historic Area Work Permit Addendum


3. PLANS & ELEVATIONS

a. Schematic Construction Plans with Materials Specifications (from Amish Connection)



4. MATERIALS SPECIFICATIONS  
General Description of manufactured item


# Quakers




Dimensions: 10' x 12'  
Colors Shown: White, Hunter Green Trim,  
Gray Shingles



Dimensions: 8' x 12'  
Colors Shown: Gray Siding, White Trim,  
White Shingles



Dimensions: 10' x 14'  
Colors Shown: Beige Paint on Pine Siding, White Trim,  
Brown Shingles  
Option Shown: Arch Doors, Deluxe Roof,  
15' x 30' Shingles



Dimensions: 4' x 8'

Sheds

Gazebos

## AMISH CONNECTION

23357 Frederick Rd.  
Clarkburg, MD 20871  
(301) 428-3100

15520 D Georgia Ave.  
Oney, MD 20832  
(301) 774-5100 (Ph. & Fax)



# Application for Historic Area Work Permit Addendum

## 1. WRITTEN DESCRIPTION OF PROJECT

### *a. Description of existing structure(s) and environmental setting, including their historical features and significance:*

High View is listed in the Montgomery County Master Plan for Historic Sites (13-30) and is pictured in the Montgomery County Atlas of Historic Places.

Built in 1887 by Somerset Williams, High View, the former Boyds Hotel (also known as the Burdette Hotel) was the main country inn of the then-popular resort town of Boyds. This stately 22-room mansion in the Queen Anne style is the last of the Victorian resort hotels once located in scenic upper Montgomery County. Gifted with generous, embassy-sized rooms, the largest of which is 14' by 40', High View took advantage of the Boyds stop on the Metropolitan Line of the B&O Railroad added in the 1880's and was visited by foreign guests, diplomats and even a president who escaped the heat and humidity of Washington summers to walk the cool hills of upper Montgomery County.

Nestled on nearly five wooded park-like acres and well situated atop a hill overlooking the 1,800-acre Black Hill Regional Park which borders the 525-acre Little Seneca Lake reservoir, High View is surrounded by a dozen of the largest, most beautiful oak trees in Montgomery County. Located only three miles from Interstate 270 in the burgeoning Germantown and Clarksburg areas, High View is served by the MARC Commuter Rail one-half mile away in historic downtown Boyds.

### *b. General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district:*

The expansive grounds, magnificent champion trees and ornamental gardens at High View require extensive care and maintenance. Currently, there is no storage space to house the growing amount of lawn and garden equipment used to keep High View beautiful. As a consequence, the equipment is stored out in the open or under the main house balcony. There is also much in the way of wood, paint and other supplies used regularly that are now stored outside under a tarpaulin or stored inside in as-yet unrestored rooms. These materials need a safe and dry storage space separate from the main structure.

The proposed lawn and garden shed will be pre-constructed using cedar wood and installed on site by the Amish Connection company of Clarksburg and Olney, Maryland, an established Montgomery County company of talented artisans. It will be small (200 sq. ft.) and unobtrusive compared to the nearly 5 acres of the property. It will remain architecturally compatible with (and of course require absolutely no alteration to) the exterior of the main historic structure, and will be painted in the same historic Victorian colors. The proposed shed is in keeping with the nature of the immediate neighborhood, which are mostly older 2 acre estates or larger, each of which contain several outbuildings of this sort.

The shed is planned for an appropriate location so as to make it invisible to any adjacent neighbor, hidden instead by the forested perimeter that forms the acreage of most of High View. No trees will be affected in any way by the installation of this pre-built shed, since the placement will be in a clear, level area outside all drip lines.

This lawn and garden shed would remedy the current unsightly and potentially unsafe situation of having lawn and garden equipment stored out in the elements and wood and paint stored inside, and allow the owners as caretakers of this historic trust to have access to more of the house and grounds.

5. PHOTOGRAPHS

a. Details of the historic property.



Historic High View contains 22 rooms set on nearly 5 acres.



High View has many gardens of native plants




Many specimen and champion-grade trees grace the grounds of High View.




Gardens are planted and transplanted continually, discouraging non-native invasive plants.

5. PHOTOGRAPHS

b. Details of the affected portions of the historic property.




Large ladders require a long shed like the one proposed.



Lawn and garden equipment is currently stored under the balcony.



Interior rooms ready for restoration are filled with paint and other supplies.



Some lawn and garden equipment simply sit out in the weather.

5. PHOTOGRAPHS

c. Details of the site area and views to and from the main street.



The shed site (in foreground - gravel drive belongs to neighbor) is completely level and is located to be invisible by all adjoining neighbors.



High View is shielded from the road by stands of trees surrounding the house.




The view down the driveway to Rt. 121 shows how secluded the site is.



The view of the rear façade of High View as seen from the shed site.

3. PLANS & ELEVATIONS

b. Structural Section for "Quaker" style shed (from Amish Connection)..



6. TREE SURVEY

Since no construction will occur adjacent to or within the dripline of any trees, no tree survey is required.

7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS

D. & E. Lowrey  
21014 Clarksburg Road  
Boys MD 20841

M-NCPPC  
8787 Georgia Avenue  
Silver Spring MD 20910

W. E. Lukens  
21022 CLarksburg Road  
Boys MD 20841

M. & A. Dereggi  
21006 Clarksburg Road  
Boys MD 20841

J.T. & M. Burdette  
21018 Clarksburg Road  
Boys MD 20841

N.F. Mawhinney  
20925 Clarksburg Road  
Boys MD 20841



RETUI DEPARTMENT OF PERMITTING SERVICES  
 255 ROCKVILLE PIKE, 2nd FLOOR, ROCKVILLE, MD 20850  
 240/777-6370

DPS - #8

**HISTORIC PRESERVATION COMMISSION**  
**301/563-3400**

**APPLICATION FOR  
 HISTORIC AREA WORK PERMIT**

DFG

Contact Person: Harry St.Ours  
 Daytime Phone No.: (301) 972-9696

Tax Account No.: 00025944

Name of Property Owner: Harry & Deborah St.Ours Daytime Phone No.: (301) 972-9696

Address: 21010 Clarksburg Road Boyds MD 20841  
Street Number City State Zip Code

Contractor: The Amish Connection Phone No.: (301) 428-3100

Contractor Registration No.: MHIC 15958-01

Agent for Owner: Bob Dalton Daytime Phone No.: (301) 428-3100

**LOCATION OF BUILDING/PREMISE**

House Number: 21010 Street: Clarksburg Road  
 Town/City: Boyds Nearest Cross Street: Crisman Hill Drive

Lot: \_\_\_\_\_ Block: \_\_\_\_\_ Subdivision: Garnkirk  
 Liber: 5710 Folio: 616 Parcel: 626

**PART ONE: TYPE OF PERMIT ACTION AND USE**

1A. CHECK ALL APPLICABLE: CHECK ALL APPLICABLE:

<input type="checkbox"/> Construct	<input type="checkbox"/> Extend	<input type="checkbox"/> Alter/Renovate	<input type="checkbox"/> A/C	<input type="checkbox"/> Slab	<input type="checkbox"/> Room Addition	<input type="checkbox"/> Porch	<input type="checkbox"/> Deck	<input checked="" type="checkbox"/> Shed
<input type="checkbox"/> Move	<input checked="" type="checkbox"/> Install	<input type="checkbox"/> Wreck/Raze	<input type="checkbox"/> Solar	<input type="checkbox"/> Fireplace	<input type="checkbox"/> Woodburning Stove	<input type="checkbox"/> Single Family		
<input type="checkbox"/> Revision	<input type="checkbox"/> Repair	<input type="checkbox"/> Revocable	<input type="checkbox"/> Fence/Wall (complete Section 4)		<input type="checkbox"/> Other: _____			

1B. Construction cost estimate: \$ 4,750

1C. If this is a revision of a previously approved active permit, see Permit # \_\_\_\_\_

**PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/ADDITIONS**

2A. Type of sewage disposal: 01  WSSC 02  Septic 03  Other: \_\_\_\_\_

2B. Type of water supply: 01  WSSC 02  Well 03  Other: \_\_\_\_\_

**PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL**

3A. Height \_\_\_\_\_ feet \_\_\_\_\_ inches

3B. Indicate whether the fence or retaining wall is to be constructed on one of the following locations:

On party line/property line  Entirely on land of owner  On public right of way/easement

I hereby certify that I have the authority to make the foregoing application, that the application is correct, and that the construction will comply with plans approved by all agencies listed; and I hereby acknowledge and accept this to be a condition for the issuance of this permit.

Harry St.Ours 8-2-04  
Signature of owner or authorized agent Date

Approved: \_\_\_\_\_ For Chairperson, Historic Preservation Commission


Disapproved: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Application/Permit No.: 353717 Date Filed: \_\_\_\_\_ Date Issued: \_\_\_\_\_




3. PLANS & ELEVATIONS

b. Structural Section for "Quaker" style shed (from Amish Connection)..



3. PLANS & ELEVATIONS


b. Structural Section for "Quaker" style shed (from Amish Connection)..



Application for Historic Area Work Permit Addendum (Second copy)

3. PLANS & ELEVATIONS


a. Schematic Construction Plans with Materials Specifications (from Amish Connection)



Application for Historic Area Work Permit Addendum

3. PLANS & ELEVATIONS

a. Schematic Construction Plans with Materials Specifications (from Amish Connection)



5. PHOTOGRAPHS

a. Details of the historic property.




Historic High View contains 22 rooms set on nearly 5 acres.



High View has many gardens of native plants




Many specimen and champion-grade trees grace the grounds of High View.



Gardens are planted and transplanted continually, discouraging non-native invasive plants.

5. PHOTOGRAPHS

b. Details of the affected portions of the historic property.



Large ladders require a long shed like the one proposed.



Lawn and garden equipment is currently stored under the balcony.



Interior rooms ready for restoration are filled with paint and other supplies.




Some lawn and garden equipment simply sit out in the weather.

5. PHOTOGRAPHS

c. Details of the site area and views to and from the main street.



The shed site (in foreground - gravel drive belongs to neighbor) is completely level and is located to be invisible by all adjoining neighbors.



High View is shielded from the road by stands of trees surrounding the house.



The view down the driveway to Rt. 121 shows how secluded the site is.



The view of the rear façade of High View as seen from the shed site.

**6. TREE SURVEY**

Since no construction will occur adjacent to or within the dripline of any trees, no tree survey is required.



7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS

D. & E. Lowrey  
21014 Clarksburg Road  
Boys MD 20841

M-NCPPC  
8787 Georgia Avenue  
Silver Spring MD 20910

W. E. Lukens  
21022 CLarksburg Road  
Boys MD 20841

M. & A. Dereggi  
21006 Clarksburg Road  
Boys MD 20841

J.T. & M. Burdette  
21018 Clarksburg Road  
Boys MD 20841

N.F. Mawhinney  
20925 Clarksburg Road  
Boys MD 20841