1041'! Armory Avenue HAWP 31/6-09c



HISTORIC PRESERVATION COMMISSION

Isiah Leggett
County Executive

David Rotenstein Chairperson

Date: 6/11/09

MEMORANDUM

TO:

Carla Reid, Director

Department of Permitting Services

FROM:

Anne Fothergill

Planner Coordina

Historic Preservation Section-Planning Department Maryland-National Capital Park & Planning Commission

SUBJECT:

Historic Area Work Permit #511804—signage installation

The Montgomery County Historic Preservation Commission (HPC) has reviewed the attached application for a Historic Area Work Permit (HAWP). This application was **approved** at the June 10, 2009 HPC meeting.

THE BUILDING PERMIT FOR THIS PROJECT SHALL BE ISSUED CONDITIONAL UPON ADHERENCE TO THE ABOVE APPROVED HAWP CONDITIONS AND MAY REQUIRE APPROVAL BY DPS OR ANOTHER LOCAL OFFICE BEFORE WORK CAN BEGIN.

Applicant:

Realty Investment Corp.

Address:

10419 Armory Avenue, Kensington, MD

This HAWP approval is subject to the general condition that the applicant will obtain all other applicable Montgomery County or local government agency permits. After the issuance of these permits, the applicant must contact this Historic Preservation Office if any changes to the approved plan are made. Once the work is completed the applicant will contact the staff person assigned to this application at 301-563-3400 or anne.fothergill@mncppcmc.org to schedule a follow-up site visit.





RETURN TO: DEPARTMENT OF PERMITTING SERVICES
255 ROCKVILLE PIKE. 2nd FLOOR, ROCKVILLE, MD 20850
240/777-6370

DPS - #8

HISTORIC PRESERVATION COMMISSION 301/563-3400

APPLICATION FOR HISTORIC AREA WORK PERMIT

	Contact Person: LACHEUE FULFOLD
	Daytime Phone No.: 202 - 246 - 9317 CEL
Tax Account No.: 01022720	
Name of Property Owner REALTY INDESTMENT COR	P Daytime Phone No.:
Address: 3702 PERRY AVENUE, KENSIN	GTOU MD 20895
	Phone No.: 301 - 498 - 32.78
Contractor Registration No.: 16264283	Daytime Phone No.: 202-246-9317 CELL
Agent for Owner: CHURECCE TRUPTCO	Daytime Phone No.: Lot L (0 01)
LOCATION OF BUILDING/PREMISE	
House Number: 104 19 s	
Town/City: KENSINGTON Nearest Cross St	treet: HOWARD AUENOC
Lot: P21 Block: Subdivision: 15	MAY 1 8 2000
Liber: Folio: Parcel:N465	
PART ONE: TYPE OF PERMIT ACTION AND USE	Casework Many Services
1A. CHECK ALL APPLICABLE: CHEC	Casework Management K ALL APPLICABLE:
☐ Construct ☐ Extend ☐ Alter/Renovate ☐ A/	C 🖂 Slab 🗀 Room Addition 🗔 Porch 🗎 Deck 🗀 Shed
☐ Move ☐ Mreck/Raze ☐ So	olar 🗇 Fireplace 🖂 Woodburning Stove 🖺 Single Family
☐ Revision ☐ Repair ☐ Revocable ☐ Fe	ence/Wall (complete Section 4) GOther: 516 N
1B. Construction cost estimate: \$ 500	
1C. If this is a revision of a previously approved active permit, see Permit #	
PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/AL	DITIONS
2A. Type of sewage disposal: 01 ☐ WSSC 02 ☐ Septic	
2B. Type of water supply: 01 □ WSSC 02 □ Well	03 🗇 Other:
DARK TURES AND STEAM OF ANY PAR SCHOOL OF THE STEAM OF TH	
PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL	
3A. Heightfeetinches 3B. Indicate whether the fence or retaining wall is to be constructed on one of	faller faller in leasting
☐ On party line/property line ☐ Entirely on land of owner	·
	On public right of way/easement
I hereby certify that I have the authority to make the foregoing application, that	t the application is correct, and that the construction will comply with plans
approved by all agencies listed and I hereby acknowledge and accept this to t	ne a condition for the issuance of this permit.
Ta (hell Inland	5/15/09
Signature of Swiner or authorized agent	Date
The state of the s	Chairperson, Historic Preservation Commission
Disapproved: Signature:	6-11-0
	Date Filed: Date Issued:

SEE REVERSE SIDE FOR INSTRUCTIONS


Edit 6/21/99

THE FOLLOWING ITEMS MUST BE COMPLETED AND THE REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION.

W	RITTEN DESCRIPTION OF PROJECT
a.	Description of existing structure(s) and environmental setting, including their historical features and significance:
b.	General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district: THETHER SIGN TO BUILDING FRONT.
SJ	TE PLAN
Sit	e and environmental setting, drawn to scale. You may use your plat. Your site plan must include:
a.	the scale, north arrow, and date;
b.	dimensions of all existing and proposed structures; and
C.	site features such as walkways, driveways, fences, ponds, streams, trash dumpsters, mechanical equipment, and landscaping.
PL	ANS AND ELEVATIONS
Yo	umust submit 2 copies of plans and elevations in a format no larger than 11° × 17°. Plans on 8 1/2" × 11" paper are preferred.
a.	Schematic construction plans, with marked dimensions, indicating location, size and general type of walls, window and door openings, and other fixed features of both the existing resource(s) and the proposed work.
b.	Elevations (facades), with marked dimensions, clearly indicating proposed work in relation to existing construction and, when appropriate, context. All materials and fixtures proposed for the exterior must be noted on the elevations drawings. An existing and a proposed elevation drawing of each facade affected by the proposed work is required.
<u>M</u> .	ATERIALS SPECIFICATIONS
	neral description of materials and manufactured items proposed for incorporation in the work of the project. This information may be included on your sign drawings.
PH	<u>IOT OGRAPHS</u>
a.	Clearly labeled photographic prints of each facade of existing resource, including details of the affected portions. All labels should be placed on the front of photographs.
b.	Clearly label photographic prints of the resource as viewed from the public right-of-way and of the adjoining properties. All labels should be placed on the front of photographs.
TR	<u>EE SURVEY</u>
	you are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at approximately 4 feet above the ground), you are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at approximately 4 feet above the ground), you are proposed in the size, location, and species of each tree of at least that dimension.

7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS

For ALL projects, provide an accurate list of adjacent and confronting property owners (not tenants), including names, addresses, and zip codes. This list should include the owners of all lots or parcels which adjoin the parcel in question, as well as the owner(s) of lot(s) or parcel(s) which lie directly across the street/highway from the parcel in question. You can obtain this information from the Department of Assessments and Taxation, 51 Monroe Street, Rockville, (301/279-1355).



SIGN

- -MATERIAL: HIGH DENSITY URETHANE WITH V-GROOVE ROUTING
- -OVERALL SIZE: 12" HIGH X 48" WIDE X 1-1/2" THICK
- -COLOR: WHITE BORDER AND TEXT ON RED BACKGROUND
- -INSTALL AS SHOWN

FIELD VERIFY ALL MEASUREMENTS BEFORE BEGINNING ANY WORK. INSTALLER TO VERIFY MOUNTING SURFACE PRIOR TO INSTALLATION.

DRAWNO 1 DATE 12/1/08 2508 R. Durant REV BY REV DATE 112/1/08 2508 R. Durant INTO 12/1/08 2508 R. Durant INTO 12/1

EXPEDITED MONTGOMERY COUNTY HISTORIC PRESERVATION COMMISSION STAFF REPORT

Address:

10419 Armory Avenue, Kensington

Meeting Date:

6/10/2009

Resource:

Secondary Resource

Report Date:

6/03/2009

Kensington Historic District

Applicant:

Realty Investment Corp. (Lachelle Fulford, Agent)

Public Notice:

5/30/2009

Review:

HAWP

Tax Credit:

None

Case Number:

31/06-09C

Staff:

Anne Fothergill

Proposal:

Signage installation

STAFF RECOMMENDATION

☑ Approval

☐ Approval with conditions

ARCHITECTURAL DESCRIPTION

Secondary (Non-Contributing) Resource within the Kensington Historic District SIGNIFICANCE:

STYLE:

Commercial, Colonial Revival

DATE:

c. 1962

PROPOSAL

The applicants are proposing the of a one foot tall x four foot wide x 1 ½ inch thick, high-density urethane sign. The sign would have a red background, with white lettering and border created by V-groove routing. The proposed sign would be flush mounted to the fascia directly over the storefront, and would be contained within the width of the fascia. The applicant has received a sign permit from the Town of Kensington. The proposed sign matches exactly the adjacent tenant's sign (same building) that the HPC approved in 2007.

STAFF RECOMMENDATION

The Approved and Adopted Amendment to the Master Plan for Historic Preservation: Kensington Historic District, Atlas #31/6 states that "in regard to the properties identified as secondary resources that is visually contributing, but non-historic structures...—the Ordinance requires the Preservation Commission to be lenient in its judgment of plans for contemporary structures or for plans involving new construction unless such plans would seriously impair the historic or architectural value of surrounding resources or impair the character of the district."

Staff recommendation of approval is based on the following criteria from Chapter 24A of the Montgomery County Code, Section 8(b): The commission shall instruct the director to issue a permit, or issue a permit subject to such conditions as are found to be necessary to insure conformity with the purposes and requirements of this chapter, if it finds that:

V	1. The proposal will not substantially alter the exterior features of an historic site, or historic resource within an historic district; or
፟	2. The proposal is compatible in character and nature with the historical, archeological, architectural or cultural features of the historic site, or the historic district in which an historic resource is located and would not be detrimental thereto or to the achievement of the purposes of this chapter; or
	3. The proposal would enhance or aid in the protection, preservation and public or private utilization of the historic site, or historic resource located within an historic district, in a manner compatible with the historical, archeological, architectural or cultural value of the historic site or historic district in which an historic resource is located, or
	4. The proposal is necessary in order that unsafe conditions or health hazards be remedied; or
	5. The proposal is necessary in order that the owner of the subject property not be deprived of reasonable use of the property or suffer undue hardship; or
	6. In balancing the interests of the public in preserving the historic site, or historic resource located within an historic district, with the interests of the public from the use and benefit of the alternative proposal, the general public welfare is better served by granting the permit.

and with the general condition that the applicant shall present the 3 permit sets of drawings – if applicable – to Historic Preservation Commission (HPC) staff for review and stamping prior to submission for the Montgomery County Department of Permitting Services (DPS) building permits.



RETURN TO: DEPARTMENT OF PERMITTING SERVICES
255 ROCKVILLE PIKE, 2nd FLOOR, ROCKVILLE, MD 20850
240/777-6370

DPS - #8

HISTORIC PRESERVATION COMMISSION 301/563-3400

APPLICATION FOR HISTORIC AREA WORK PERMIT

	Contact Person: LACHEUE FULFOED
	Daytime Phone No.: 202-246-9317 CRL
Tax Account No.: 01022720	
Name of Property Owner: REALTY INVESTMENT CO	PP Daytime Phone No.:
Address: 3702 PERCY AVENUE, KENSIL	GTOU MD 20695
Street Number City	Steet Zip Code
Contractor: FASTSIGNS OF LAUREL	Phone No.: 301 - 490 - 31, 10
Contractor Registration No.: 16264283	207-241-9317 101
Agent for Owner: LAUHELLE FULFORD	Daytime Phone No.: 202-246-9317 CELL
LOCATION OF BUILDING/PREMISE	
	Street: ARMORY AUENUE RECEIVED
Town/City: KENSINGTON Nearest Cross	Street: HOWARD AUENOC
Lot: P21 Block: Subdivision: 15	MAY 1 8 2000
Liber:Folio:Parcel:	5
PART ONE: TYPE OF PERMIT ACTION AND USE	Casework Manne
	Casework Management
☐ Construct ☐ Extend ☐ Alter/Renovate ☐ /	A/C 🗀 Slab 🗀 Room Addition 🗀 Porch 🗀 Deck 🗀 Shed
☐ Move	Solar
	Fence/Wall (complete Section 4) Wother: 516 N
1B. Construction cost estimate; \$ 500	
1C. If this is a revision of a previously approved active permit, see Permit # _	
PART TWO: COMPLETE FOR NEW CONSTRUCTION AND EXTEND/	ADDITIONS
	tic 03 [] Other:
2B. Type of water supply: 01 ☐ WSSC 02 ☐ Well	
, , , , , , , , , , , , , , , , , , , ,	out.
PART THREE: COMPLETE ONLY FOR FENCE/RETAINING WALL	
3A. Heightfeetinches	
3B. Indicate whether the fence or retaining wall is to be constructed on one	of the following locations:
On party line/property line Entirely on land of owner	On public right of way/easement
I hereby certify that I have the authority to make the foregoing application, the	hat the application is correct, and that the construction will comply with plans
approved by all agencies listed and I hereby acknowledge and accept this to	o be a condition for the issuance of this permit.
To Chille Filler	5/15/09
Signature of owner or authorized agent	Date
Approved:Fo	r Chairperson, Historic Preservation Commission
Disapproved: Signature:	Date:
Application/Permit No.: 511804	Date Filed: SIMI A Date Issued:

Edit 6/21/99

SEE REVERSE SIDE FOR INSTRUCTIONS

THE FOLLOWING ITEMS MUST BE COMPLETED AND THE REQUIRED DOCUMENTS MUST ACCOMPANY THIS APPLICATION.

1.

2.

3.


WI	RITTEN DESCRIPTION OF PROJECT
a.	Description of existing structure(s) and environmental setting, including their historical features and significance:
b.	General description of project and its effect on the historic resource(s), the environmental setting, and, where applicable, the historic district INSTALL NEW 1 FOOT HIGH BI 4 FOOT WIDE HIGH DENSITY
	DRETHANE SIGN TO BUILDING PRONT.
SI	EPLAN
Sit	e and environmental setting, drawn to scale. You may use your plat. Your site plan must include:
a.	the scale, north arrow, and date;
b.	dimensions of all existing and proposed structures; and
C.	site features such as walkways, driveways, fences, ponds, streams, trash dumpsters, mechanical equipment, and landscaping.
PL	ANS AND ELEVATIONS
You	must submit 2 copies of plans and elevations in a format no larger than 11" x 17". Plans on 8 1/2" x 11" paper are preferred.
a.	Schematic construction plans, with marked dimensions, indicating location, size and general type of walls, window and door openings, and other fixed features of both the existing resource(s) and the proposed work.
b.	Elevations (facades), with marked dimensions, clearly indicating proposed work in relation to existing construction and, when appropriate, context. All materials and fixtures proposed for the exterior must be noted on the elevations drawings. An existing and a proposed elevation drawing of each facade affected by the proposed work is required.
M	ATERIALS SPECIFICATIONS
	neral description of materials and manufactured items proposed for incorporation in the work of the project. This information may be included on your sign drawings.
PH	OTOGRAPHS
a.	Clearly labeled photographic prints of each facade of existing resource, including details of the affected portions. All labels should be placed on the front of photographs.
b.	Clearly label photographic prints of the resource as viewed from the public right-of-way and of the adjoining properties. All labels should be placed on the front of photographs.
<u>tr</u>	EE SURVEY
If y	ou are proposing construction adjacent to or within the dripline of any tree 6" or larger in diameter (at approximately 4 feet above the ground), you st file an accurate tree survey identifying the size, location, and species of each tree of at least that dimension.

7. ADDRESSES OF ADJACENT AND CONFRONTING PROPERTY OWNERS

For ALL projects, provide an accurate list of adjacent and confronting property owners (not tenants), including names, addresses, and zip codes. This list should include the owners of all lots or parcels which adjoin the parcel in question, as well as the owner(s) of lot(s) or parcel(s) which lie directly across the street/highway from the parcel in question. You can obtain this information from the Department of Assessments and Taxation, 51 Monroe Street, Rockville, (301/279-1355).

NEIGHBORS ADJACENT TO 10419 ARMORY AVE

- 10421 ARMORY AVENUE KENSINGTON NAILS
- 10423 ARMORY AVENUE, 2ND FLOOR CORE THERAPY, TAMARA
 GELMAN & KATHERINE CURTAIN
- 10417 ARMORY AVENUE CAFE 1894





Shade portion to indicate North

Applicant: REALTY TNUMBMENT CORP.

Page: ‡



ELEVATION



SIGN

- -MATERIAL: HIGH DENSITY URETHANE WITH V-GROOVE ROUTING
- -OVERALL SIZE: 12" HIGH X 48" WIDE X 1-1/2" THICK
- -COLOR: WHITE BORDER AND TEXT ON RED BACKGROUND
- -INSTALL AS SHOWN

FIELD VERIFY ALL MEASUREMENTS BEFORE BEGINNING ANY WORK. INSTALLER TO VERIFY MOUNTING SURFACE PRIOR TO INSTALLATION.


10423 Armory Avenue
Kensington, MD 20895

THIS DRAWING IS THE PROPERTY OF FASTSIGNS OF LAUREL. THE BORROWER
AGREES IT SHALL NOT BE PRODUCED, COPIED OR DISPOSED OF DIRECTLY OR
INDIRECTLY, NOR USED FOR ANY PURPOSE WITHOUT PERMISSION

TRAVE BY REV DATE INTERIOR SCALE. INTO
Sign & Graphic Solutions Mode Simple.

13600 Baltimore Ave, Ste. 104, Laurel, MD 20707
Phone: 301-498-3278
Fax: 301-498-3153

Existing Property Condition Photographs (duplicate as needed)



			•
1			
į			
-			
1			
			•
1			
1			
-			
į			
-			
į			
ļ			
1			

Applicant: REALTY INVESTMENT COEP

Detail:

TOWN OF KENSINGTON SIGN PERMIT

-0 () 10 May /3 2009
Location of sign:
Address 10421 ARMORY AUE.
Owner/Tenant REALTY INVEST. CORP.
Type of Business KENSINGTON FLOWERS
Type of Sign / Grove Buted High Dristy Whethere
Permit Fee 30,00
MUST RE POSTED ON JOR SITE

Existing Property Condition Photographs (duplicate as needed)



1			
J			
1			
I.			
i			
1			
1			
i .			
1			
1			
1			
1			
1			
I			
1			
1			
1			
1			
1			
1			
1			
1			
1			
I			
1			
l			
į.			
i			
í.			
!			
l .			
I			
1			
1			
l			
I			
I			
1			
I			
1			
1			
I			
1			
1			
1			
1			
1			
1			
1			
1			
1			
1			
1			
1			
1			
I			
l			
1			
ı			
1			
i			
1			

Detail:_____